Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Princeton Nurseries

6251

PRINCETON, NEW JERSEY

Wm. Flemer's Sons, Proprietors
also of
F. & F. Nurseries, Springfield, N. J.

Business Terms

ALL ORDERS ARE ACCEPTED SUBJECT TO previous sale and the following terms and conditions:

PRICES in this catalogue cancel all previous lists and quotations and are subject to change without notice. Cost of packing will be extra. Prices include local delivery, but a special charge covering cost is made on distant deliveries.

STOCK SPECIALLY SELECTED by customers at the Nurseries will be charged according to the value of the trees chosen, irrespective of catalogue list price.

RATES.—Lots of 5 and 25 of a variety will be furnished at the 10 and 100 rates respectively.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when for your convenience accounts will be opened due in 30 days from date of invoice.

INSPECTION.—Our stock is regularly inspected and certificate will be sent with each shipment.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Our stock is of the highest grade, thrifty and well grown, insuring its success if properly cared for after transplanting.

WE CAN GIVE NO GUARANTEE ON THE LIFE OF STOCK, as we have no control over its usage after it leaves our hands.

CLAIMS must be made direct to our office within five days after receipt of goods. Stock delivered as per order and in good condition is not returnable.

GOODS IN TRANSIT.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

CLAIMS FOR DAMAGE WHILE IN TRANSIT MUST BE MADE AGAINST THE DELIVERY COMPANY. Have delivery agent note the damaged condition on the freight bill, and promptly present your claim to the transportation company.

F. & F. Nurseries.

Deciduous Trees

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature. It must be understood, however, that many varieties in their native habitant greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here.

Each

ACER dasycarpum. Silver Maple. 60'-80' Quick growing, graceful.

Leaves silvery underneath—clear yellow autumn coloring.

8	to	10 ft	\$1.50
8	to	10 ft., 1½ in	2.00
10	to	11 ft., 1½ in	2.50
10	to	12 ft., $1\frac{3}{4}$ in	3.00
12	to	13 ft., 2 in	3.75
12	to	13 ft., 2½ in	4.50
13	to	14 ft., 2½ in	6.00
14	to	15 ft., 3 in	7.50
14	to	15 ft., 3½ in	10.00

dasycarpum pyramidale. Pyramidal Silver Maple. 30'-40' A narrow form with vertical branches, useful for accent.

6	to	8 ft	1.75
8	to	10 ft	2.50
8	to	10 ft., 11/4 in	3.50
9	to	10 ft., 1½ in	5.00
0	to	11 ft., 2 in	6.00
1	to	12 ft., 2½ in	7.50

1

dasycarpum wieri. Wier Cut Leaf Maple. 60'-80' Graceful, drooping.

8	to	10 ft., 1¼ in	2.50
10	to	11 ft., $1\frac{1}{2}$ in	3.00
11	to	12 ft., $1\frac{3}{4}$ in	4.00
		13 ft., 2 in	5.00
12	to	13 ft., 2½ in	6.00

negundo. Box Elder. 60' Grows where other trees fail—especially good for dry barren places and seashore. Rapid grower.

- 8	to	10 ft	1.25
8	to	10 ft., 1½ in	1.75
		11 ft., 1½ in	2.25
11	to	12 ft., 1 ¾ in	3.00
12	to	13 ft., 2 in	4.00
13	to	14 ft., 2½ in	5.00

platanoides. Norway Maple. 50'-75' The most popular street tree, retains green leaves until late autumn, then turns rich yellow.

8	to	10 ft., 1½ in	3.50
10	to	11 ft., 1½ in	4.00
11	to	12 ft., 1¾ in	5.00
12	to	13 ft., 2 in	6.50
		14 ft., $2\frac{1}{4}$ in	
		14 ft., $2\frac{1}{2}$ in	
14	to	16 ft., 3 in	12.50
14	to	16 ft., 3½ in	15.00

platanoides schwedleri. Schwedler Purple Maple. 40'-60' Probably the best large growing purple leaf tree—useful lawn tree.

6	to	8 ft	3.00
8	to	10 ft	4.00
8	to	10 ft., 1¼ in	5.00
		11 ft., 1½ in	
11	to	12 ft., $1\sqrt[3]{4}$ in	7.00
12	to	13 ft., 2 in	8.50
1.3	to	14 ft., 2½ in	10.00

Each Per 10	
ACER pennsylvanicum (striatum). Striped Maple. 20'-30' Green ba	arl
striped with white. Thrives in wet soils.	ain
2 to 3 ft \$1.00 3 to 4 ft 1.25	
pseudoplatanus. Sycamore Maple. 40'-60' For seashore planti- Quickly develops into a well-shaped specimen with a cle straight stem.	ng. ean
10 to 11 ft $1\frac{1}{2}$ in 3.50	
11 to 12 ft., 13/4 in	
12 to 13 ft., 2 in 5.00	
12 to 13 ft., $2\frac{1}{4}$ in 6.50	
13 to 14 ft., $2\frac{1}{2}$ in 8.00	
rubrum. Red or Scarlet Maple. 50'-75' Best in moist locations, a	lso
thrives in upland. Brilliant red autumn coloring.	
8 to 10 ft., 1½ in 3.50	
10 to 12 ft., $1\frac{1}{2}$ in	
12 to 13 ft., $1\frac{3}{4}$ in 5.00	
13 to 14 ft., 2 in 6.50	
13 to 14 ft., $2\frac{1}{4}$ in	
14 to 15 ft., 2½ in	
	toc
saccharum. Sugar Maple. 50'-75' Most popular in northern state Best planted in spring—rich yellow autumn coloring.	ies.
8 to 10 ft	
10 to 11 ft., 1½ in 3.00	
11 to 12 ft., 1½ in 4.00	
12 to 13 ft., 1¾ in 5.00	
13 to 14 ft., 2 in	
14 to 15 ft., 2½ in	
15 to 16 ft., 2½ in	
16 to 18 ft., 3 in	
* * * =	
AESCULUS hippocastanum. Horsechestnut. 40'-60' Slow growth	
most attractive when in flower—June. Handsome on a lav	vn.
10 to 12 ft., 3 in 7.50	
12 to 13 ft., 3½ in	
12 to 13 ft., 4 in	
12 to 14 ft., 5 in	
6 in 20.00	
parviflora. (Pavia macrostachia.) Bottlebush Buckeye. 6'-7' Har some spreading shrub covered with panicles of creat flowers in July-August. Leaves similar to horsechestnut.	nd- ny
18 to 24 in	
2 to 3 ft	
3 to 4 ft	
AILANTHUS glandulosa. Tree of Heaven. 50'-60' Succeeds und	der
most adverse city conditions. Large leaves—grows rapid	
6 to 8 ft 1.25	
8 to 10 ft	
AMYGDALUS persica (Prunus). Flowering Peach. 8'-10' Very deco	ra.
tive double flowering form, blooms before leaves—red, whi	ite.
2 to 3 ft	
3 to 4 ft 1.00	
4 to 5 ft	
5 to 6 ft	
BETULA alba. European White Birch. 30'-50' White bark.	
3 to 4 ft 1.00	
4 to 6 ft	
6 to 8 ft	
2.00	

	PRI	NCETON, NEW	JERSEY	3
			Each	Per 10
BETULA al	ba laciniata. lawn plan	Weeping Cut Le ting.	af. 30'-40'	Graceful tree for
	8 to 10 ft.		5.00	
alba pyr	amidalis. Py	ramidal White Bi	rch. 30'-40'	Dense, columnar.
alba you	ingi. Youn dulous bra	g Weeping Birch. anches. Most grace	30'-40' H eful lawn spec	as spreading pen- cimen.
		40/ 60/ 11		13/1 1 1 1
lenta.	conspicuo	40'-60' Has attuus catkins in spring		n reddish bark and
		· ···· · · · · · · · · · · · · · · · ·		
lutea.		h. 50'-70' Makes		eak—good foliage.
racca.		oo to mane		an good ronage.
		50'-60' Thrives i		
nigra.	bark is qu	ite unique—very ef	fective for na	turalistic planting.
	3 to 4 ft		1.00 1.50	
papyrifei	a. Paper o	or Canoe Birch.	10'-50' Pictu	resque paper bark,
		e when older—grac		g habit.
		t		
		t t		
		t		
populifo		Birch. 30'-40' Wommonly found na		
CARPINUS		(americana). Am		beam 20' 40'
CARFINUS	Closely re	sembles the beech—	-smooth blue-	
	4 to 5 ft		1.25	
betulus.	hedge bec	Hornbeam. 20'- ause of its dense gro	owth. Beech	or massing or a like foliage.
	3 to 4 ft		1.00	
cordata.		Hornbeam. Leave		art-shaped.
cordata.		Leave		ar osnapeu.
CATALPA	bungei. Un	ıbrella Catalpa.	<i>10′−15′</i> For	nal planting.
	Medium Hea	ads $1\frac{1}{4}$ in, ster	ns 2.50	•
	First Class F	Heads $1\frac{1}{2}$ in ster Heads $1\frac{3}{4}$ in ster	ns 3.00 ns 4.00	
	Double Ex. I	Large Heads 2 in. ster	ns 5.00	
speciosa		Catalpa. 30'-35'		
•		$t_{1}, 2\frac{1}{4}$ in	3.50	

4 PRINCETON NORSERIES PRICE EIST
CEDRELA sinensis. Cedrela. 30'-40' Gives a tropical looking effect— clusters of white flowers. Will thrive under city conditions. 2 to 3 ft
CELTIS occidentalis. Hackberry. 50'-60' Similar foliage and habit as Elm.
3 to 4 ft
4 to 5 ft
5 to 6 ft
CERASUS. (See Prunus)
CERCIDIPHYLLUM japonicum. Katsura Tree. 60'-80' Develops into
a magnificent tree. Beautiful spring and autumn colors.
3 to 4 ft
4 to 5 ft 2.00
5 to 6 ft
CERCIS. Judas Tree. (See Shrubs)
CLADRASTIS lutea (tinctoria). Yellow Wood. 30'-40' A striking tree with long panicles of fragrant white flowers in June.
4 to 5 ft
5 to 6 ft
CORNUS florida. White Flowering Dogwood. 15'-25' Among the best of the spring flowering small trees—red berries in fall.
3 to 4 ft
4 to 5 ft 1.25
5 to 6 ft
6 to 8 ft 3.00
8 to 10 ft
3 to 4 ft
4 to 5 ft 5.00
rubra. Red Flowering Dogwood. 15'-20' The pink flowers are more persistent than the white.
18 to 24 in 1.25
2 to $2\frac{1}{2}$ ft
$2\frac{1}{2}$ to 3 ft 2.25
3 to 4 ft
4 to 5 ft 3.50
CRATAEGUS carrieri. Carrier Thorn. 12'-15'
2 to 3 ft
3 to 4 ft
4 to 5 ft
coccinea. Thicket Hawthorn. 15'-20' Large scarlet fruits.
2 to 3 ft
3 to 4 ft
4 to 5 ft
cordata. Washington Hawthorn. 12'-15' Berries are small, brilliant red and persist nearly all winter. Brilliant autumn foliage. 2 to 3 ft
crusgalli. Cockspur Thorn. 15' Deep green shiny leaves make this
hawthorn distinctive. White flowers are also conspicuous. 2 to 3 ft
3 to 4 ft 1.00
4 to 5 ft
5 to 6 ft
mollis. Downy Hawthorn. 12'-15' Large leaves, showy flowers
and large red fruits. 2 to 3 ft
oxycantha (Monogyna). English Hawthorn. 12'-15' Single white
flowers.
18 to 24 in

F. J. D., 10
Each Per 10 CRATAEGUS Paul's Scarlet. 12'–15' Double scarlet flowers.
3 to 4 ft\$1.50
4 to 5 ft
5 to 6 ft
DIOSPYROS virginiana. Persimmon. 15' Handsome foliage.
3 to 4 ft
4 to 5 ft 1.25
FAGUS americana (ferruginea). American Beech. 75'–100' One of our best native trees—distinctive silver-gray bark. Prefers well drained limestone soil. Should be planted in early spring. 2 to 3 ft
3 to 4 ft
4 to 5 ft
sylvatica asplenifolia. Fern or Cutleaf Beech. 40'-50' A splendid compact lawn tree with fern-like foliage. Clean gray bark. 2 to 3 ft 2.00
3 to 4 ft 3.00
FRAXINUS americana. White Ash. 70'-80' Fairly rapid grower. Assumes pleasing golden tones in autumn. Good in moist and lime soils. Makes a splendid street tree with a clean straight trunk.
8 to 10 ft., 1½ in
10 to 12 ft., 13/4 in 3.00
12 to 13 ft., 2 in 4.00
12 to 13 ft., $2\frac{1}{4}$ in 5.00
GINKGO biloba (Salisburia). Maidenhair Tree. 50'-75' Picturesque, interesting, quite distinct. Leaves shaped like maidenhair fern. Immune from insects—thrives under city conditions.
6 to 8 ft
8 to 10 ft
8 to 10 ft., 1½ in
GLEDITSIA triacanthos. Houey Locust. 60'-70' Thorny tree with fragrant white flowers in May. Good for gravelly soil.
2 to 3 ft
4 to 5 ft
5 to 6 ft
6 to 8 ft
GYMNOCLADUS diocia. Kentucky Coffee Tree. 40'-50' Light bluegreen foliage of slow growth—long interesting seed pods. 2 to 3 ft
3 to 4 ft
4 to 5 ft
KOELREUTERIA paniculata. Varnish Tree. 25'-30' Has bright yellow
flowers in July—a valuable small tree of irregular outline.
3 to 4 ft
4 to 5 ft
5 to 6 ft
$ \begin{array}{llllllllllllllllllllllllllllllllllll$
2 to 3 ft
3 to 4 ft
LARIX europaea. European Larch. 50'-60' Especially good for spring effects. Grows rapidly into a symmetrical tree. 2½ to 3 ft 1.00
3 to 4 ft

Each Per 10 LARIX Jaricina. American Larch. 40'-50'
2 to 3 ft
leptolepis. Japanese Larch. 50'-60' Has long flat leaves turning bright orange in autumn.
2 to 3 ft
LIQUIDAMBAR styraciflua. Sweet Gum. 50'-60' One of best trees for autumn color. Grows well in moist places. Has corky bark and star-shaped maple-like leaves—difficult to transplant.
3 to 4 ft 1.50 4 to 5 ft 2.00 5 to 6 ft 3.00 6 to 8 ft 4.00 8 to 10 ft 5.00 LIRIODENDRON tulipifera. Tulip Tree. 60'-80' A quick grower.
The yellow tulip-like flowers are produced in June—peculiar flat topped leaves clear yellow in autumn. Prefers moist place. 4 to 6 ft
6 to 8 ft
MAGNOLIA glauca. Sweet Bay. $15'-20'$ Delightfully fragrant creamy flowers in May, leaves nearly evergreen, prefers moist location.
18 in., B. & B
macrophylla. Bigleaf Magnolia. 30'-40' Fragrant white flowers in June. Leaves sometimes two feet long.
2 to 3 ft
Soulangeana. Sancer Magnolia. 15'-18' Large reddish purple and white flowers—May.
2 to 3 ft
Soulangeana Lennei. Lenne Magnolia. 15'-18' Flowers are darker and appear later than preceding.
2 to 3 ft
tripetala. Umbrella Tree. 30'-40' Very large leaves—flowers white in late spring Seed pods are pink. 5 to 6 ft
MALUS arnoldiana. Arnold Crab. 12'-15' White flowers, April-May. 4 to 5 ft
coronaria. Sweet Crab. 15'-20' Fragrant blush pink flowers in early spring—April.
2 to 3 ft
floribunda. Japanese Flowering Crab. 10'-15' Literally covered with rose-colored buds and white flowers in early spring.
2 to 3 ft

Each Per 10 MALUS floribunda atrosanguinea. Carmine Crab. 10'-15' Deep red
flowering.
2 to 3 ft \$1.00
3 to 4 ft
4 to 5 ft
5 to 6 ft
halliana. Parkman Crab. 10'-15' Semi-double pink, compact habit.
2 to 3 ft
ioensis. Bechtel Crab. 10'-15' Large double pure pink flowers with noticeable fragrance on long stalks. Vigorous grower.
18 to 24 in
2 to $2\frac{1}{2}$ ft
2½ to 3 ft
3 to 4 ft
4 to $4\frac{1}{2}$ ft
4½ to 5 ft 2.50
5 to 6 ft 3.00
niedzwetzkyana. Redvein Crab. 12'-15' Has reddish purple flowers, leaves and bark.
2 to 3 ft 1.00
3 to 4 ft 1.50
sargenti. Sargent Crab. 10'-15' Single white flowers—low grower.
3 to 4 ft 1.25
4 to 5 ft 1.75
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers.
2 to 3 ft
3 to 4 ft
4 to 5 ft 1.50
spectabilis. Chinese Crab. 12'-15'. Semi-double pink flowers.
2 to 3 ft
3 to 4 ft
MORUS alba pendula. Tea's Weeping Mulberry. 8'-10'
1 3
Medium Grade 2.50
First Class Heads 3.50
Extra 5.00
Double Extra
PAULOWNIA imperialis. Royal Paulownia. 30'-40' Grows rapidly, very large leaves, purple flowers. Not quite hardy in north.
4 to 5 ft
6 to 8 ft
8 to 10 ft
PLATANUS orientalis. European Plane Tree. 70'-80' A good tree for park and street use, quick grower, stands city conditions.
8 to 10 ft 2.00
8 to 10 ft., 1¼ in 2.50
8 to 10 ft., 1½ in
11 to 12 ft., 1 3/4 in 4.00
12 to 13 ft., 2 in 5.00
12 10 11 11, 1
POPULUS alba. White Poplar. 60'-80' Rapid grower, rather attractive foliage with woolly-white undersurface.—seashore subject.
8 to 10 ft 1.25
8 to 10 ft., 1½ in
10 to 12 ft., $1\frac{1}{2}$ in 2.50

8 PRINCETON NURSERIES PR	RICE LIST
	Each Per 10
POPULUS balsamea. Balsam Poplar. 60'-7	0' Has fragrant buds in
spring. Broad leaves, commenda	ible.
8 to 10 ft., 1½ in	\$1.25
10 to 11 ft., 1½ in	2.00
bolleana. Bolle Poplar. 50'-60' Leaves columnar character to Lombardy	
4 to 6 ft	1.00
6 to 8 ft	1.50
8 to 10 ft., 1½ in	2.00
8 to 10 ft., 1½ in	2.50
10 to 12 ft., 1¾ in	3.00
canescens. Gray Poplar. 30'-40'	1.75
8 to 10 ft., 1½ in	1.75 2.25
10 to 12 ft., 1 ½ in	3.00
monolifera. Carolina Poplar. 75'-90'	
even on dry places and near seash	
8 to 10 ft	.75
8 to 10 ft., $1\frac{1}{4}$ in	1.00
11 to 12 ft., $1\frac{1}{2}$ in	1.50
12 to 14 ft., 1 ³ ⁄ ₄ in	2.00 2.50
nigra italica. Lombardy Poplar. 60'–80	
is valued for screens and architect	ural effects.
6 to 8 ft	1.00
8 to 10 ft-	1.25
10 to 11 ft., 1½ in	1.50
11 to 12 ft., 1½ in	2.00 3.00
13 to 14 ft., 2 in	4.00
simoni. Simon Poplar.	
4 to 6 ft	1.00
6 to 8 ft	1.25
Volga Poplar. Has similar upright growth t	
4 to 6 ft	1.00 1.25
8 to 10 ft	1.50
PRUNUS avium plena (Cerasus). Flowering	
white flowers.	Cherry: 20 20 Bouble
2 to 3 ft	3.00
3 to 4 ft	4.00
James H. Veitch. Veitch Japan Cherry.	18'-20' Double rosy red
flowers freely produced. 2 to 3 ft	7.50
2 to 3 ft	3.50 5.00
rosea flore pleno. Double Pink Japan Cha	
2 to 3 ft	3.00
3 to 4 ft	4.00
New red. Double Red Japan Cherry. 18	'-20'
2 to 3 ft	
3 to 4 ft	5.00
subhirtella pendula. Weeping Japan Cherr	y. 12'-15' Most beautiful
and graceful tree covered with pin	k blossoms in early spring.
Pyramidal Form 3 to 4 ft	3.00
4 to 5 ft	3.00 4.00
5 to 6 ft	5.00
6 to 7 ft	6.00
Standard Form	
l year head	3.50
2 year head	5.00
J year nead	7.50

PRINCETON, NEW JERSET 9
PRUNUS pissardi. Purple Leaf Plum. 12'-15' Valued chiefly because of purplish foliage. Should be pruned every year for best
color effect. 2 to 3 ft
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage.
4 to 6 ft
PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of hop-like fruits—purplish-brown fall coloring.
3 to 4 ft
QUERCUS alba. White Oak. 80'-100' The noblest of them all—long lived, slow growth. 4 to 6 ft
bicolor. Swamp White Oak. 75'-90' Best in low damp places.
4 to 6 ft
6 to 8 ft
8 to 10 ft., $1\frac{1}{4}$ in 4.00
10 to 12 ft., $1\frac{1}{2}$ in 5.00
cerris. Turkey Oak. 60'-70' Grows quickly—pyramidal in outline. 10 to 12 ft., 3 in 8.50
coccinea. Scarlet Oak. 75'-90' Most striking autumn colors, tall stately grower, deeply cut leaves—succeeds in dry places.
4 to 6 ft
6 to 8 ft
palustris. Pin Oak. 75'-90' Takes most kindly to cultivation, prefers
moist soil but is very adaptable. Particularly fitting as a street tree. Good autumn effects.
8 ft., 1½ in 3.50
8 to 9 ft., 1½ in 4.00
9 to 10 ft., 1 ³ / ₄ in
12 to 13 ft., $2\frac{1}{4}$ in 8.00
12 to 13 ft $2\frac{1}{2}$ in
rubra. Red Oak. 75'-90' Comparatively quick growth, rich autumn coloring in greens and reds—unfolding leaves are pink.
8 to 10 ft., $1\frac{1}{4}$ in 3.50
9 to 10 ft., 1½ in
9 to 11 ft., 1 ³ / ₄ in
12 to 14 ft., 2½ in
12 to 14 ft., $2\frac{1}{2}$ in
ROBINA pseudacacia. Locust. 60'-80' Has fragrant white flowers in May. 6 to 8 ft
SALIX babylonica. Babylonian Weeping Willow. 50'-60' Particularly appropriate for waterside planting with long pendulus branches.
4 to 6 ft
6 to 8 ft
8 to 10 ft
4 to 6 ft
6 to 8 ft 1.50
8 to 10 ft

10	PRINCETON NURSERIES PR	RICE LIST
SALIX bab	ylonica aurea. Russian Golden We	Each Per 10 reping Willow. 40'-50'
	Has golden-yellow bark—similar	habit to preceding.
	4 to 5 ft 5 to 6 ft	\$1.00 1.25
	8 to 10 ft	1.50
blanda	(dolorosa). Wisconsin Weeping Wi	
	6 to 8 ft	1.25
	8 to 10 ft	2.00
caprea.	Bush Form. Pussy Willow. 18 spring effects—will do well on dr	y as well as wet places.
	2 to 3 ft	.35 .50
	4 to 6 ft	.75
-1 - e- u k	6 to 8 ft	1.00
elegani	issima. Thurlow Weeping Willow. 6	.75
	6 to 8 ft	1.00 1.25
	10 to 12 ft	2.00
inanna	12 to 15 ft	3.00
IIICalla	texture in foliage effects—narrow l	eaves silvery white beneath
	2 to 3 ft	.35 .50
	4 to 5 ft	.75
pentano	Ira. Laurel Leaf Willow. 20'-30' leaves make this a worthwhile bac planting.	Shining rich dark green ekground, valuable seashore
	3 to 4 ft	.50
	4 to 6 ft	.75 1.00
salamor	ni. Salamon Weeping Willow. 66 of all "weeping willows."	
	4 to 6 ft	.75 1.00
	8 to 10 ft	1.50 2.50
vitellina	aurea. Golden Willow. 25'-30' bark being bright golden. Silky	Valuable for winter effect,
	3 to 4 ft	.50
	4 to 5 ft	.75 1.00
vitellina	britzensis. Bronze Willow. 29 when used with preceding variety-	0'-25' Particularly good —has reddish bronze bark.
	2 to 3 ft	.35 .50
	4 to 6 ft	.75 1.00
SOPHORA	6 to 8 ft japonica. Pagoda Tree. 30'-40' Wh	
	2 to 3 ft	1.00
	3 to 4 ft	1.50 2.00
SORBUS a	mericana. American Mountain A	
	4 to 5 ft	1.00 1.50

Each Per 10

SORBUS aucuparia. European Mountain Ash. 25'-30' A valuable tree on a small lawn—the orange scarlet berries are quite striking.

4	to	5 ft	\$1.00
5	to	6 ft	1.50
6	to	8 ft	2.00
8	to	10 ft	3.00

aucuparia pendula. Weeping Mountain Ash. 12'-15' Rather graceful pendulous branches. Fruits freely.

```
2 yr. heads 2.00
3 yr. heads 2.50
```

quercifolia. Oak Leaf Mountain Ash. 20'-25' Similar fruit to preceding but leaves resemble the oak.

TILIA american. American Linden. 75'-90' Grows rather quickly forming an open head. Has fragrant yellow flowers.

			-			-	-
10	to	11 ft.,	13/4	in			4.00
11	to	12 ft.,	2	in			5.00
11	to	12 ft.,	$2\frac{1}{4}$	in			6.50
12	to	13 ft.,	$2\frac{1}{2}$	in			8.00
13	to	14 ft.,	3	in			10.00
13	to	14 ft.,	31/2	-4	in		12.50

tomentosa (argentea). Silver Leaf Linden. 60'-70' Symmetrical and compact—leaves silvery gray underneath.

11/2	in	 4.00
$1\frac{3}{4}$	in	 5.00
2	in	 6.50
21/	in	8.00

platyphyllos. European Large Leaf Linden. 60'-75'

1100		mopeum Barge Bear Binaen	. 00
9	to	10 ft., 1½ in	3.50
10	to	11 ft., $1\sqrt[3]{4}$ in	4.00
11	to	12 ft., 2 in	5.00
		12 ft., $2\frac{1}{4}$ in	
12	to	13 ft., $2\frac{1}{2}$ in	8.00
13	to	14 ft., 3 in	10.00

vulgaris (europaea). European Linden. 60'-70' Fragrant flowers in late June, grows vigorously forming compact symmetrical tree.

10	to	12 ft., 1½	in	3.50
10	to	12 ft., 1 3/4	in	4.00
11	to	12 ft., 2	in	5.00
11	to	12 ft., 2½	in	6.50
12	to	13 ft., $2\frac{1}{2}$	in	8.50
13	to	14 ft., 3	in	11.00
13	to	14 ft., 4	in	15.00

ULMUS americana. American Elm. 80'-100' Stateliness and dignity are here exemplified. Fairly rapid in growth this typical american tree soon assumes regal proportions and commands respect of all.

0	t o	10 ft., 1¼ in	3.00
9	to	11 ft., $1\frac{1}{2}$ in	3.50
10	to	12 ft., 1¾ in	4.00
11	to	12 ft., 2 in	5.00
12	to	13 ft., 2½ in	6.50
		14 ft $2\frac{1}{2}$ in	8.00

Deciduous Shrubs

The shrubs we offer are of a standard commercial grade, young and thrifty. They are not crowded in rows to make them grow tall, but are given space enough for proper development. This insures a bushy and full plant, which far more than height ought to be, and indeed is, the standard of excellence. Nearly all our shrubs are dug with a tree digger, thus insuring good roots, and are exactly what we represent them to be in all particulars.

Each Per 10 ACER palmatum (polymorphum). Green Japanese Maple. 12'-15' Develops into a splendid specimen for lawn planting-star shaped leaves. \$4.00 3 to 4 ft 4 to 5 ft.... 6.00 palmatum atro purpureum. Purple Leaf Japan Maple. 6'-8' Has rich purple-red leaves all summer. 5.00 7.50 10.00 tatarica ginnala. Tartarian Maple. 10'-12' Graceful and valuable for bright red autumn coloring. 2 to 3 ft75 5 to 4 ft..... 1.25 4 to 5 ft..... 2.00 5 to 6 ft..... 3.00 AMELANCHIER canadensis (botryapium). Juneberry. 10'-12' White flowers in early spring before leaves. Fruits relished by birds. 2 to 3 ft...... .75 3 to 4 ft..... 1.00 4 to 5 ft 1.50 AMORPHA canescens. Lead Plant. 2'-3' Bluish purple flowers in June. 18 in75 fruticosa. Indigo Bush. 8'-10' Deep purple flowers June, spreading. 2 to 3 ft35 to 4 ft..... .50 5 ft75 4 to AMYGDALUS nana. Flowering Almond. 5'-6' Flowers double, May. Pink and White. 1.00 1.50 ARALIA pentaphyllum. Five Leaf Aralia. 7'-8' Graceful arching habit. Splendid for banks, very adaptable, has good green foliage. .35 \$3.00 2 to 3 ft..... 3 to .50 4 ft..... 4.50 5 ft..... 4 to .75 6.50 spinosa. Hercules' Club. 18'-20' Useful for tropical effects and shadows. White flowers, July--dark purple berries follow. .35 2 to 3 ft..... 3.00 to 4 ft..... .50 4.50 4 to 5 ft..... 6.50 .75 5 to 6 ft..... 1.00 9.00 ARONIA melanocarpa (nigra). Black Chokeberry. 8'-10' Delicate white flowers in May. Black berries persist until late. 4.50

3 to 4 ft.....

4 to 5 ft.....

.75

1.00

6.50

9.00

	PRINCETON, NEW JERS	EY 13
ARONIA a	arbutifolia. Red Chokeberry. 6'-8'	Each Per 10 Valuable because of its
	red berries. 2 to 3 ft	\$1.00 \$9.00
	3 to 4 ft	1.25 11.00
AZALEA aı	rborescens. Sweet Azalea. 10'-12' Fr	
	12 to 15 in., B. & B	1.50 2.00
	18 to 24 in., B. & B.	2.50
calendu	ilacea (lutea). Flame Azalea. 8'-10	9' Brilliant flame-colored
	flowers in early spring.	1.50
	12 to 15 in., B. & B	2.00
canesce		
		1.50
	15 to 18 in., B. & B.	2.00
kaempf		
	12 to 15 in., B. & B	2.50 3.00
mollis.	Chinese Azalea. 4'-6' Large sho	
	orange and red. May-June.	,
	12 to 15 in., B. & B	
	15 to 18 in., B. & B	
ponticu		
	12 to 15 in., B. & B	3.00
rosea.	Downy Azalea. 4'-5' Good bush	
	flowers, May-June. Prefers semi-s	shady, moist place.
	2 to 2½ ft., B. & B	
uncoui	2½ to 3 ft., B. & B Pink Shell Azalea. 5'-6' Delicate	4.00
vaseyi.		1.50
	15 to 18 in., B. & B	2.00
	18 to 24 in., B. & B	3.00
viscosa.		
	12 to 15 in., B. & B	1.75 2.00
	18 to 24 in., B. & B	2.50
		3.00
yodogav	wa. Yodogawa Azalea. 3'-4' Double May. Quite hardy and of exception	
	12 to 15 in., B. & B	2.50
	18 to 24 in., B. & B.	3.50
BACCHARI	IS halimifolia. Groundsel Bush. 9' seed pods in Sept. Good for seash	-10' Conspicuous fluffy Best in masses
	3 to 4 ft	.75 6.50
	1 10 3 11	
BENZOIN a	aestivale (Lindera Benzoin). Spice vellow, April—scarlet berries—leav	
	18 to 24 in	.50
	2 to 3 ft	.75 Per 100
BERBERIS.	. Box Barberry. 2'-3' A dwarf co	
	Barberry. Fruits sparingly. Fine	
	8 to 10 in	.30 2.70 \$25.00 .40 3.50 30.00
	12 to 15 in	.50 4.50 40.00
	15 to 18 in	.60 5.00 45.00
	18 to 24 in	.75 6.50 1.00 9.00

14	PRINCETON NURSERIES PR	RICE LIS.	l	
BERBERIS	amurensis japonica. Hackodate l			Per 100 Brilliant
	orange and scarlet in autumn. W	ithstands \$.50	drought	well.
thunber	12 to 15 in gi. Japanese Barberry. 4'–5' A or for massing. Brilliant autumn	coloring.	scarlet h	perries.
	12 to 15 in	.25	\$2.20	\$20.00
	15 to 18 in	.55	5.00	25.00
	12 to 15 in	.75	6.00	50.00
	21 ₂ ft	1.00	9.00	
thunberg	oi. Sheared Globes. These are we	shaped	solid sp	pecimens.
	12 in	1.50		
	18 in	2.00		
vulgaris.	European Barberry, 7'-8' Ye	ellow flow	ers. May	. Fruit
, 4154110.	European Barberry, 7'-8' Ye red. persisting to midwinter. Vig	orous, up	right hab	oit.
	2 to 3 ft	.35	3.00	
	1 1 2 to 2 ft 2 to 3 ft 3 to 4 ft 4 to 5 ft	.50	4.50	
	4 to 5 ft	.75	6.50	, ,
vulgaris	purpurea. Purple European Barb soft purple foliage. Similar in hal	bit to prec	-8 Has eding.	pleasing
	18 to 24 in	.55 .50		
BUDDLEIA	veitchiana. Butterfly Bush. 5'-6' green foliage and deep lilac flower	Verv ef	fective w	rith gray-
	18 to 24 in	35 LINES	3.00	me-sept.
	2 to 3 ft	.50	4.50	
	18 to 24 in. 2 to 3 ft	.75	6.50	
CHILICIPI	5 to 4 ft., extra	1.00	9.00	. 11
CALLICARI	PA purpurea. Chinese Beauty-Ber tractive in August with its lilac-vio	let berries	 Gracef 	ul habit.
	15 to 18 in	.35	3.00	
	15 to 18 in	.75	6.50	
CALYCANT	HUS floridus. Common Sweet brown flowers, June-Sept., spicy f	Shrub.	4'-5'	Reddish-
	18 to 24 in	.50	4.50	
	18 to 24 in	.75	6.50	
CIPICINI				5.00
CANAGANA	arborescens. Siberian Peatree. shaped flowers. May-June. Does	best in w	ell-drain	ed place.
	2 to 5 ft	.35 .50		
CARYOPTE	RIS incana (mastacantha). Blue blue flowers, SeptOct. Splendic		2'-3' Lassing.	avender- Requires
	protection in winter. 1 yr	.33 50	3.00 4.50	35.00
CEPHALAN	THUS occidentalis. Button Bush. creamy-white flowers, July-Sept.	5'-6'	Round :	heads of
	18 to 24 in	.55	3.00	
	2 to 3 ft	.50	4.50	
CERCIS	5 to 4 ft		6.50	A 11
CERCIS car	nadensis. American Redbud. 12 Very effective when planted with	dogwood	osy-pink I. Good	foliage.
	2 to 3 ft	.75 1.00 1.25		
		1.20		

PRINCETON, NEW JERSEY 15
CERCIS japonica. Chinese Redbud. 10'-12' Flowers larger and darker than above—succeeds best in rather moist soil.
15 in \$.50
CHIONANTHUS virginica. White Fringe. 15'-18' Fragrant tassel-like white flowers, May–June. Blue-black plum-like fruits follow.
1½ to 2 ft
2 to 3 ft
4 to 5 ft
CLETHRA alnifolia. Summer Sweet. 4'-5' Spikes of fragrant flowers, July–Sept. Prefers moist, shady places—good for massing.
18 to 24 in
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
COLUTEA arborescens. Bladder Senna. 8'-10' Yellow flowers, June-
Aug. Useful for dry places—inflated seed pods often colored.
2 to 3 ft
4 to 5 ft
5 to 6 ft
CORNUS alba (siberica). Coral Dogwood. 8'-10' Bright red bark, porcelain blue fruits—quick grower, useful for winter effect.
18 to 24 in
3 to 4 ft
4 to 5 ft 1.00 9.00
alba elegantissima. Variegated Dogwood. 5'-6' Has silver and green leaves.
1½ to 2 ft
2 to 3 ft
alba spaethi. Spaeth Dogwood. 6'-8' Leaves margined yellow.
18 to 24 in
2 to 2½ ft
alternifolia. Pagoda Dogwood. 15'-18' Branches spread horizontally, making deep shadow effects. Blue-black fruit. 18 to 24 in
2 to 3 ft
3 to 4 ft
4 to 5 ft
amomum (sericea). Silky Dogwood. 8'-9' Pale blue fruits—young twigs purple. Prefers moist places—has creamy white flowers. 2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft
gray-green leaves, white fruits, small white flowers all summer. 3 to 4 ft
kousa. Kousa Dogwood. 16'-18' Large white flowers in June.
Conspicuous cherry-like scarlet fruits, attractive to birds.
2 ft
3 ft
paniculata. <i>Gray Dogwood.</i> 10′–12′ Numerous small white flowers in May, followed by white fruits on red stems—likes moisture. 2 to 3 ft
3 to 4 ft
4 to 5 ft

16	PRINCETON NURSERIES PR	ICE LIS	1
		Each	Per 10
CORNUS stol	onifera. Red Osier Dogwood. 7 white fruits.		
2	to 3 ft	\$.50	\$4.50
3	to 4 ft	.75	6.50 9.00
4	to 4 ft to 5 ft.	1.00	9.00
	lutea. Golden Bark Dogwoo		
Stolollicin	yellow bark.	011.	7 This distinc
2	to 3 ft	.50	4.50
3	to 4 ft	.75	6.50
4	to 4 ftto 5 ft	1.00	9.00
CORVIUS am	ericana. Hazel-nut, 8'–9' Us	seful for	
2	to 3 ft	1.50	naturar planting.
3	to 4 ft	2.00	
	to 5 ft		
	onica. Flowering Quince. 4'-5 May.		t flowers in April
1	12 to 2 ft	.50	4.50
2	to 2½ ft	.75	6.50
2	1.9 ft	1.00	9.00
3	ft	1.25	11.00
DESMODIUM.	. (See Lespedeza)		
	ilis. Slender Deutzia. 3' Profuse	· bloomer	. nure white. Max
1(to 12 in	.35	3.00
			4.50
	5 to 18 in	.50 .75	6.50
2	5 to 18 in	1.00	9.00
lemoinei.	Lemoine Deutzia. 4'–5' Large wl	hite flow	ers. June, graceful
15		.50	4.50
	½ to 2 ft	.75	6.50
2		1.00	9.00
magnifica	6'-8' Large tassel-like flowers,	June. V	igorous.
	$1\frac{1}{2}$ to 2 ft	.50	igorous.
2	to 21/2 ft	.75	
2	2 to $2\frac{1}{2}$ ft	1.00	
	Mongolian Dentzia. 3' Erect		hite, June.
	5 to 18 in		3.00
		.50	4.50
2	3 to 24 in	.75	6.50
scabra. P	ride of Rochester. 9'–10' Vigo	orous la	rge flower tinger
2	to 3 ft	.50	4.50
3	to 4 ft	.75	6.50
4	to 5 ft	1.00	9.00
scabra can	didissima. Snowflake Deutzia. double white, June. Grows vigor	ously—c	Graceful habit one of the best.
2	to 3 ft	.35	3.00
3	to 4 ft	.50	4.50
4	to 4 ft to 5 ft	.75	6.50
scabra crer	nata, fl. pl. Double Pink Deutz	ia. 6'-	8' Pink, slightly
	fragrant, June.		
	to 3 ft		
3	to 4 ft	.50	4.50
4	to 5 ft	.75	6.50
vilmorinae.			
18	3 to 24 in	.35	3.00
2	-/	.50	4.50
DIERVILLA tr	rifida. Dwarf Bush Honeysuckle	. 3'	Yellow, June-July
	A good low shrub for shady place		
12		7 5	
		.35	
15 18	to 18 in	.55 .50 .75	

PRINCETON, NEW JERSEY 17
Each Per 10
DIERVILLA sessilifolia (lutea). Southern Bush Honeysuckle. 4'-5' Yellow, more vigorous than preceding, June–July.
2 to 3 ft \$.50 \$4.50 3 to 4 ft
4 to 5 ft
ELEAGNUS angustifolia. Russian Olive. 15'-18' Silver-gray leaves and branchlets, orange berries. Good for massing—prefers sun.
3 to 4 ft
4 to 5 ft
18 to 24 in
EUONYMUS alatus. Winged Euonymus. 9'-10' Interesting corky bark. Warm crimson autumn coloring, makes fine specimen shrub.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
americanus. Brook Euonymus. 7'-8' Pink fruits, prefers moist places.
2 to 3 ft
bungeanus. Winter Euonymus. 12'-14' Good autumn color. The orange and white seed pods persist for a long time.
2 to 3 ft
4 to 5 ft
europaeus. European Burning Bush. 12'-14' Pink fruits on long stalks.
18 to 24 in
3 to 4 ft
EXOCHORDA grandiflora. <i>Pearl Bush.</i> 6'-9' Dazzling white flowers, May. Is improved by annual pruning—prefers a moist soil.
2 to 3 ft
3 to 4 ft
FORSYTHIA intermedia. Border Golden Bell. 6'-8' Bright yellow flowers in April before leaves unfold—profuse and beautiful.
2 to 3 ft
4 to 5 ft
intermedia spectabilis. Showy Border Golden Bell. 6'-8' Most profuse of all, with large rich golden yellow flowers.
2 to 3 ft
suspensa. Weeping Golden Bell. 4'-6' Graceful drooping habit, excellent for massing, banks, or hanging over retaining walls.
2 to 3 ft
4 to 5 ft
suspensa fortunei. Fortune Golden Bell. 7'-8' Good habit, arching branches, vigorous growth. Invaluable for shrubbery border. 2 to 3 ft
3 to 4 ft
4 to 5 ft

18 PRINCETON NURSERIES PRICE LIST
Each Per 10 FORSYTHIA viridissima. Green Stem Forsythia. 7'-8' Most vigorous.
Has green bark—thick, dark green leaves. Last to flower. 2 to 3 ft
GENISTA tinctoria. Woadwaxen. 3' Yellow pea-shaped flower—June.
2 ft
3 ft
HALESIA tetraptera. Great Silver Bell. 12'–15' Snow-white bell-shaped flowers in May profusely borne on branchlets—can be grown as single specimen or massed.
2 to 3 ft
HAMAMELIS virginiana. Witch Hazel. 10'-12' Yellow ribbon-like flowers, OctNov. Good foliage, best in moist, half-shady places.
18 to 24 in
2 to 3 ft
3 to 4 ft
HIBISCUS syriacus (althea). Rose of Sharon. 10'-12' Rather formal in outline, flowering in August.
Pink, purple, red and white, single and double.
Amplissima. Double red. Coerulea. Double purplish blue. De la Vaux. Double red. Joan of Arc. Double white. Lady Stanley. Double pink. Sieboldi. Double pink.
Coerulea. Double purplish blue. Lady Stanley. Double pink.
De la Vaux. Double red. Sieboldi. Double pink.
Elegantissima. Double pink. Totus albus. Single white.
18 to 24 in
2 to 3 ft
3 to 4 ft
variegata. Variegated Rose of Sharon. 6'-8' Leaves striped yellow.
$1\frac{1}{2}$ to 2 ft
2 to 2½ ft 1.00 9.00
HYDRANGEA arborescens. Smooth Hydrangea. 4'-5' White, June-July.
18 to 24 in
2 to 3 ft
2 to 3 ft
white flowers, June-July.
18 to 24 in
2 to 3 ft
radiata (nivea). Silver Leaf Hydrangea. 4'-5' Leaves white under-
neath, flowers white, June-July. Pleasing fresh green foliage.
2 to 3 ft
quercifolia. Oak Leaf Hydrangea. 3'-4' Leaves shaped like an oak leaf. Splendid autumn coloring—succeeds in shade. 12 to 15 in
paniculata. Panicle Hydrangea. 8'-9' Large loose panicles of white flowers, August. A graceful, desirable shrub.
2 to 3 ft
paniculata grandiflora. Pegee. 8'-9' Very showy, blooms August.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3 ft

PRINCETON, NEW JERSEY
Each Per 10
HYDRANGEA paniculata grandiflora Standard. Tree Form.
Medium. 3 to 4 ft
First class, 3 to 4 ft
First class, 3 to 4 ft
HYPERICUM aureum. Golden St. Johnswort. 3'-4' Yellow, July-Aug.
blue-green foliage, dense habit, good for margin of shrubbery
18 to 24 in
2 to 2½ ft
1
densiflorum. Dense Flowered St. Johnswort. 4'-5' Yellow, July-
Sept. Free flowering—good for sandy soil.
18 to 24 in
2 10 2½ 11
kalmianum. Kalm St. Johnswort. 4'-5' Blue-green leaves glaucous
underside. Withstands drought, July-Sept.
2 ft
moserianum. Gold Flower. 2' Large yellow flowers, July-Aug
Dainty, half-herbaceous splendid mass plant.
2 yr., 15 in .50 4.50
2 yr., 12 in
prolificum. Shrubby St. Johnswort. 2½'-3' A dense shrub—yellow
flowers profusely borne in July–Sept. Good for rocky soils
nowers profusery bothe in july—sept. Good for focky soils
18 to 24 in
ILEX verticillata (prinos.) Winterberry. 6'-8' Bright red berries persist
ing to mid-winter—not eaten by birds. Prefers moist soil.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2 to 2½ ft
2½ to 3 ft
ITEA virginica. Sweetspire. 3'-4' Spikes of fragrant white flowers. July
Good for low places—brilliant autumn coioring.
18 to 24 in
2 to 3 ft
JASMINUM humile. Italian Jasmine. 3' 1½ to 2 ft
2 to 21/ ft
2 to 272 tt
nudiflorum. Winter Jasmine. 3' Yellow, April-May.
15 to 18 in
18 to 24 in
2 to 2½ ft
KERRIA japonica. Japanese Kerria. 4'-5' Golden vellow. June-Sept
Green branches useful for winter effects—graceful habit.
18 to 24 in
2 to 2½ ft
2½ to 3 ft
japonica fl. plena. Double Japanese Kerria. 4'-5' Desirable doubl
form.
18 to 24 in
2 to 2½ ft 1.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
LESPEDEZA bicolor. Bush Clover. 5'-6' Rose and white flower—July
Slender graceful shrub—attractive clover-like foliage.
18 to 24 in
2 to 3 ft
3 to 4 ft
formosum (Desmodium penduliflorum.) Purple BushClover. 3'-4
Rosy purple flower conspicuous in Sept. Attractive shrub
2 yr., 18 to 24 in
2 yr., 2 to 3 ft
3 to 4 ft

20	PRINCETON NURSERIES PR	RICE LIS	T	
		Each	Per 10	Per 100
LIGUSTI	RUM amurense. Amur Privet, 14'–15'	Half-eve	rgreen, ve	ry hardy.
170001	18 to 24 in	\$.25	\$2.00	\$18.00
	2 to 3 ft	.35	3.00	28.00
	3 to 4 ft	.50	4.00	35.00
ciliat	um. Bigberry Privet. 5'-6' Spreadin	ig habit, l	large blac	k berries.
	3 to 4 ft			
	4 to 5 ft	.75		
ibota	 Ibota Privet. 9'-10' Good dense freely. Decorative black berries— 	e habit, f -very har	lowers a dy.	nd fruits
	18 to 24 in	.25	2.00	18.00
	2 to 3 ft		3.00	25.00
	3 to 4 ft		4.00	35.00
ibota	regelianum. True Spreading, Regel			
	splendid low dense hedge—also green plantings.			
	15 to 18 in	.35	3.00	25.00
	18 to 24 in	.50	4.50	35.00
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$.75 1.00	6.00 9.00	50.00 75.00
Lode				
Loue	ense. Dwarf Privet. 2½' Compact			
	1 yr		4.00	35.00
ovali		Most po		dge plant.
	12 to 18 in		1.00	5.00
	1½ to 2 ft		1.50 2.00	8.00 10.00
	2 to 3 ft		3.00	15.00
our I	folium. Globe Form—Sheared.		3.00	13.00
ovan		1.00		
	10 in. diam	1.00 1.50		
	15 in. diam	2.00		
ovali	folium. Pyramidal Form—Sheared.	2.00		
Ovan	Medium, 2 ft	1.50		
	$\frac{2\frac{1}{2}}{2}$ ft	2.00		
ovali	folium. Standard, Tree Form—Sheare			
Ovun	2 yr., 12 in. head, first class	1.50		
	3 yr. 15 in. head, extra	2.00		
ovali	folium aureum. Golden Privet. 8'-9		s rather	lowly
Ovan	12 to 15 in	.35	5 Idiller :	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
vula:	are. European Privet. 10'–12' Cream		larrage I	uma Iulu
vuiga	2 to 3 ft			
	3 to 4 ft	.50	3.00 4.50	25.00 35.00
	4 to 5 ft	.75	6.00	50.00
LONICE	RA alberti. Albert Honeysuckle. 2'			
	May-June-bluish-green leaves, re	ed berries	•	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	15 in		6.50	
bella	albida. White Belle Honeysuckle.			gorously.
	2 to 3 ft		3.00	8010 401,71
	3 to 4 ft	.50	4.50	
	4 to 5 ft	.75	6.50	
fragr	antissima. Winter Honeysuckle. 6'-	8' Frag	rant whit	e flower,
	April-May. Half-evergreen-gra	ceful sen	ni-droopii	ng habit.
	2 to 3 ft	.50	4.50	
	3 to 4 ft	.75	6.50	
maac	cki. Amur Honeysuckle. 8'-9' Lar	ge white	flowers	—June—
	scarlet berries persisting until mid-	winter.		
	2 to 3 ft	.50	4.50	
	3 to 4 ft	.75	6.50	

	Transcerors, IVEW JEIG	/L- (21
			Per 10
	maacki podocarpa. Late Hone pinkish flowers, better fruit than pre	ceding, h	
	2 to 3 ft		
	Morrow Honeysuckle. 7'-8' Spre- June. Red fruits, good foliage. M	Most desir	oit, white—May- rable.
2	2 to 3 ft	.35	\$3.00
3	6 to 4 ft	.50	4.50 6.50
	to 5 ft		
1	rivet Honeysuckle. 2' Dwarf evergre yr	1.00	
ruprechtia	nna. Manchurian Honeysuckle. 8' June. Berries red sometimes ora	-9' Crean	ny white flowers,
2	2 to 3 ft	.35	3.00
3	3 to 4 ft	.50	4.50
standishi.	Standish Honeysuckle. 4'–5' April. Scarlet fruits, holds foliage	Blush flo well.	owers, fragrant
1	18 to 24 in	.50	
	18 to 24 in	.75	
	3 to 4 it	1.00	
	ha. Lilac Honeysuckle. 3' Sma der flowers.		een leaves, laven-
1	1½ to 2 ft	.75	
2	2 to 2½ ft	1.00	
	2½ to 3 ft	1.25	1:) 0/ 10/
	Tartarian Honeysuckle. (Pink, Flowers and fruit freely produced.	A most	adaptable shrub.
	2 to 3 ft	.50 .75	4.50 6.50
	3 to 4 ft	1.00	9.00
tibetica	Tibetan Honeysuckle. 3'-4'	1.00	9.00
inseriea.	5 to 18 in	50	
,	5 to 18 in	.75	
	2 to 2½ ft	1.00	
MYRICA ceri	fera. Southern Wax Myrtle. 4'-5' soil. Has decorative gray berries	Does wel	ll in poor gravelly all winter.
1	12 to 15 in	.35	
	15 to 18 in	.50 .75	
1	18 to 24 in	.75	
	2 to 2½ ft		
	ON arboreum. Sourwood. 25'- white flowers–Aug. Good leathery	foliage, f	nceful clusters of fine autumn color.
	2 to 3 ft		
	3 to 4 ft	1.50	
	stachya. (See Aesculus—trees)		
	HUS avalanche. Avalanche Mock arching habit. Blooms profusely.		3'-4' Graceful,
1	18 to 24 in	.35	
	2 to 3 ft	.50	
	3 to 4 ft	.75	
Bouquet	blanc. White Bouquet Mock Oran Blooms freely, May-June. Small	ıge. 3' leaves.	Low dense habit.
1	18 to 24 in	.35	
	2 to 2½ ft	.50	
	3 to 4 ft	.75	* * * *
coronariu	s. Mock Orange. 9'-10' White fr		owers, May-June.
-	2 to 3 ft	.50	4.50
	3 to 4 ft	.75	6.50
2	4 to 5 ft	1.00	9.00

22	PRINCETON NURSERIES PRI	ICE LIST
PHILADEL	PHUS coronarius aureus. Golden	Each Per 10 Leaf Mock Orange, 4'-5'
THEREE	Dwarf compact form—yellow leav	es.
	12 to 15 in	\$.50 \$4.50
	15 to 18 in	.75 6.50 1.00 9.00
	15 to 18 in	1.25 11.00
coronai	rius grandiflora. Large Flowering M	Iock Orange. 7'-8'
	2 to 3 ft	.50 4.50 .75 6.50
	3 10 4 11	.75 6.50 1.00 9.00
gordon	iana (Lewisi.) Gordon Mock Oran June–July. Slightly fragrant—bloc	ge. $10'-12'$ Flowers in oms freely.
	2 to 3 ft	.50
	3 to 4 ft	./5 1.00
lemoine	ei. Lemoine Mock Orange. 4'-5' double flowers sweetly scented-	Good compact habit, semi-
	arching branches. 18 to 24 in	.50
	2 to 2½ ft	.75
nivalis.	Snowbank Mock Orange. 4'-5'	
	2 to 3 ft 3 to 4 ft	.50 .75
pubesce	ens. Hoary Mock Orange. 12'-15' La	
	2 to 3 ft	.50
	3 to 4 ft	.75 1.00
virginal	lis. Virginal Mock Orange. 7'-8	Beautiful semi-double
	flowers produced intermittently all	summer. Most desirable.
- out out	2 to 2½ ft	.75
zeyneri.	2 to 3 ft	50
	2 to 3 ft	.75
PHOTINIA	villosa. Red Berried Photinia. 8'-9' scarlet berries profusely borne in au	
	2 to 3 ft 3 to 4 ft	.50 .75
PIERIS mar	riana. Stugger Bush. 6'-7' Waxy	
TIBRID MA	15 to 18 in	.50
	15 to 18 in	1.00 1.50
POTENTIL	LA fruticosa. Shrubby Cinquefoil.	
	yellow, June-Sept. A very adapta	
	2 to $2\frac{1}{2}$ ft	.75
PRUNUS m	naritima. Beach Plum. 9'-10' Sma Purple fruits—splendid subject for sa	andy soil or near seashore.
	18 to 24 in	.50 .75 6.50
	3 to 4 ft	1.00 9.00
	4 to 5 ft	1.25 11.00
pissardi	*	- 1: also and 61 1:
tomento	osa. Nanking Cherry. 6'-7' Fruits before leaves appear. A splendid s	s light red, flowers white hrub.
	2 to 3 ft	.50 4.50
	3 to 4 ft 4 to 5 ft	.75 6.50 1.00 9.00
	1 to J It	1.00 9.00

PRINCETON, NEW JERSEY 23
Each Per 10
PRUNUS triloba plena. Double Flowering Plum. 7'-8' Double pink flowers, April–May. Handsome and useful.
2 to 3 ft
PYRUS arbutifolia. (See Aronia) RHAMNUS cathartica. Common Buckthorn. 9'-10' Dark green leaves,
black berries. Valuable background shrub.
2 to 3 ft
4 to 5 ft
frangula. Glossy Buckthorn. 8'-9' Berries red, changing to black.
2 to 3 ft
3 to 4 ft
5 to 6 ft 1.00 9.00
RHODOTYPOS kerrioides. Jetbead. 4'-5' Fresh green foliage, pure white flowers, May-June—shining black bead-like berries all winter.
18 to 24 in
2 to 3 ft
3 to 4 ft
RHUS canadensis (aromatica). Fragrant Sumach. 4'-5' Clusters of small yellow flowers, April-May. Attractive in June when covered with coral-red fruits. Withstands drought. Aromatic foliage.
18 to 24 in
2 to 3 ft
3 to 4 ft
copallina. Shining Sumach. 12'-13' Showy crimson fruits, good autumn
coloring. Showy in poor arid situations—good for massing.
18 to 24 in
2 to 3 ft
cotinus. Smoke Tree. 10'-12' Purple fringe.
18 to 24 in
$2\frac{1}{6}$ to 3 ft 1.50
3 to 4 ft
glabra. Smooth Sumach. 10'-12' Crimson fruits in bunches—rich autumn coloring. Thrives in poor soils.
2 to 3 ft35 3.00
3 to 4 ft
5 to 6 ft
glabra laciniata. Cutleaf Smooth Sumach. 4'-5' Delicately cut leaves—grows slowly. Striking crimson autumn coloring.
18 to 24 in
javanica (osbecki). Java Sumach. 8'-10' Has handsome foliage. 2 to 2½ ft
typhina. Staghorn Sumach. 15'–18' Picturesque habit—brilliant autumn effect. Useful for park and general landscape planting.
2 to 3 ft
3 to 4 ft
4 to 5 ft
typhina laciniata. Cutleaf Staghorn Sumach. 14'-15' Leaves finely cut giving attractive feathery appearance. Brilliant in autumn.
2 to 3 ft
4 to 5 ft

24	PRINCETON NURSERIES PR		
		Each Per 10	
RIBES odor	atum (aureum). Golden Currant	. 7'-8' Fragrant y	yellow
	flowers in May. Useful for und		
	2 to 3 ft	\$.50 \$4.50	
	5 to 4 ft 4 to 5 ft	.75 6.50 1.00 9.00	
DODINA 1:			3.1
ROBINA hi	spida. Rose Acacia. 5'-6' Attracti June. Soon develops into a mass	ve rosy pink flowers, Good for dry bar	May-
			1113.
	18 to 24 in	.75 6.50	
	3 to 4 ft	.75 6.50 1.00 9.00	
ROSA bland	la. Meadow Rose. 4'-5' Pink, May.	Almost thornless red	l bark.
	11 ₂ to 2 ft	.35	
	2 to 2½ ft	.50	
humilis.	Pasture Rose. 3'-4' Pink, May-	-June.	
	2 yr	.50	
lucida.	Virginia Rose. 5'-6' Pink, June.		ts.
	15 to 18 in	.35 3.00	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$.50 4.50	
14:A	ra japonica. Japanese Rose. 9'–10	./3 0.30	
munnin	free flowering and fragrant.	wille, june. vigo	orous,
	2 to 3 ft	.50 4.50	
	3 to 4 ft	.75 6.50	
nitida.	Bristly Rose. 3'-4' Deep pink,	June. Good for ho	olding
	banks and general mass planting-	–good autumn colori	ng.
	15 to 18 in	.35 3.00	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$.50 4.50 .75 6.50	
poluetrie	(Carolina). Swamp Rose 6'-7'	Dink May July	
parustris	15 to 18 in		
	18 to 24 in	.50 4.50	
rubigino	sa. Sweet Briar. 5'-6' Bright		Good
	foliage with aromatic odor.		
	18 to 24 in	.50 4.50	
1	2 to 2½ ft		,
rubritoli	a (ferruginea). Redleaf Rose. 5' red leaves and bark—good winter	-6' Has distinct pur	plish-
	18 to 24 in		
rugosa.	Red Rugosa Rose. 4'-5' Handsome		wore
rugosa.	June-Sept. Rich green foliage an	d large red fruits—i	useful
	either in shrubbery border or as he	edge.	
	1½ to 2 ft	.35 3.00	
	2 to 3 ft	.50 4.50	
	3 to 4 ft	.75 6.50	
rugosa a	lba. White Rugosa Rose. 4'-5'		
	18 to 24 in	.50 · 4.50 .75 6.50	
	3 to 4 ft	1.00 9.00	
setigera.	Prairie Rose. 5'-6' Deep rose flo		rous.
-	18 to 24 in	.35 .3.00	
	2 to 3 ft	.50 4.50	
	3 to 4 ft	.75 6.50	
spinosiss		ity grower but comp	act—
	branches covered with soft thorns—	has attractive small fo	liage.
	12 to 15 in	.50	
	15 to 18 in	.75 1.00	
		1.00	

PRINCETON, NEW JERSEY	25
Each Per 10	
ROSA wichuriana. Memorial Rose. White. Particularly useful covering banks or boulders.	l for
2 to 3 ft \$.50	
3 to 4 ft	
RUBUS odoratus. Flowering Raspberry. 5'-6' Rose colored fre flower produced all summer.—good for covering shady!	grant anks.
2 to 3 ft	
3 to 4 ft	
SAMBUCUS canadensis. American Elder. 8'-9' Fine for swampy p	ola cos
Fragrant flowers, June–July, black fruits enjoyed by bi	rds.
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
2 to 3 ft	y cut.
3 to 4 ft	
4 to 5 ft 1.00 9.00	
canadensis aurea. Golden Elder. 10'-12' Conspicuous yellow f	oliage.
2 to 3 ft	
3 to 4 ft	
pubens. Scarlet Elder. 7'-8' Flowers in April-May. Brigh	nt red
fruits ripen in June—very attractive.	it ica
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft 1.00	
SORBARIA aitchisoni. Kashmir False Spirea. 4'-5' Graceful pound foliage—flowers creamy white, July–Sept.	, com-
2 to 3 ft	
4 to 5 ft	
arborea glabrata. Smooth False Spirea. 10'-12'	
18 to 24 in	
2 to $2\frac{1}{2}$ ft	
sorbifolia. Ural False Spirea. 4'-5' Fluffy heads of white flo	owers,
2 to 3 ft	
SPIREA arguta. Garland Spirea. 5'-6' Small light green leaves-	-verv
free flowering, May. More vigorous than Thunbergi	
18 to 24 in	
	Y1
billardi. Billard Spirea. 5'-6' Bright pink fluffy flower spikes Oct. Valuable for dry places.	, July–
18 to 24 in	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	at A
bumalda. Bumalda Spirea. 3' Light pink flower, July–Seggood "facing" shrub.	ot. A
18 to 24 in	
/ 2	

26	PKII	CETON	NURSE	KIES PKI	LE LIS	l	
SPIREA bu	pink t	han prece	ding—ver	Waterer y free flov	vering a 35 .50	3' D	eeper rose er.
bumald	a froebeli	. Froeb	el Spirea	. 4' Sim	ilar to b	ut more	vigorous
fortunei	vigoro leaves	ous form red.	of follow	Spirea. 3 wing varie	' Pink ty. Yo .50	flowerit ung gro	ng-more wth and
japonica				a. 3′ Wh g. Bloom:	nite, Juno s freely.	z-July.	Purplish-
	15 to	15 in 18 in 24 in			.35 .50 .75		
nipponi	good	dark greer	ı leaves p	on Spired ersisting till	a. 8'-9 I late fal	′ Whit l.	e, June—
	2 to	24 in 3 ft			.50 .75	4.50 6.50	
opulifol	for sh			eamy white	.35	Vigoro	ous, good
	3 to 4	ft ft			.50 .75	4.50 6.50	
opulifoli	ia aurea.	Goldlea	f Nineba	rk. 9'-10	,		
	3 to 4	ft ft ft			.35 .50 .75	3.00 4.50 6.50	
prunifol	hands	ome dark	green fol	White, I lage turnin			
	2 to 3 3 to 4 4 to 5	ft ft ft			.50 .75 1.00	4.50 6.50 9.00	
reevesia	archin	g habit—i	etains lea	Pure whi ves till late.			Graceful
th	3 to 4	ft			.75	6.50	
tnunber	with green	pure-white leaves. V	e flowers ⁷ aluable fo	' Slender a , April-Ma or seaside p	y. Sma lanting.	ıll feath	s clothed ery light
	$ \begin{array}{ccccccccccccccccccccccccccccccccc$	24 in . 2½ ft 3 ft .			.35 .50 .75 1.00 1.25	3.00 4.50 6.50 9.00 11.00	
tomento	Leaves	brownish	n undersid	ooly rose- e—good in	pink flo masses	wers, Ju for low	ıly–Sept. ground.
	18 to 2 2 to 3 to		• • • • • • • • • • • • • • • • • • • •		.35 .50 .75	3.00 4.50 6.50	

PRINCETON, NEW JERSEY	27
Each Per 10	
SPIREA van houttei. Van Houtte Spirea. 8'-9' White, May-Jur Graceful habit—extremely free flowering and very adaptab	ne.
2 to 2½ ft	ие.
2½ to 3 ft	
3 to 4 ft	
4 to 5 ft 1.00 9.00	
STAPHYLEA colchica. Colchis Bladder Nut. 10'-12' Flowers whi May-June. Fragrant—decorative seed pods.	ite,
2 to 3 ft	
3 to 4 ft 1.25	
4 to 5 ft 1.50	
STEPHANANDRA flexuosa. Cutleaf Stephanandra. 5'-6' Gracel	ful
compact habit—handsome foliage, similar to small maple-le	at.
18 to 24 in	
3 to 4 ft	
STYRAX japonica. Japanese Storax. 12'-15' White bell-shaped pe	217.
dant flowers, June–July. Makes a handsome specimen.	:11-
18 to 24 in	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
SYMPHORICARPOS racemosus. Snowberry. 5'-6' Conspicuo white berries, attractive foliage—best in half shady mo locations.	
18 to 24 in	
2 to 3 ft	
3 to 4 ft	
4 ft	
vulgaris. Coralberry. 4'-5' More compact than preceeding. Corred berries persisting throughout winter—for shady dry spo	ral
18 to 24 in	дэ.
2 to 3 ft	
3 to 4 ft	
4 ft	
SYRINGA chinensis (rothomagensis). Chinese Lilac. 8'-9' Slend branches, graceful. Violet flowers in May—free flowerin	
18 to 24 in	
2 to 3 ft	
3 to 4 ft	
chinensis saugeana. Purple Chinese Lilac. 8'-9' Deep purple flowe	rs.
2 to 3 ft	
3 to 4 ft 1.00	
japonica. Japanese Tree Lilac. 18'-20' Loose bunches creamy wh	iite
flowers, June-July. Handsome foliage.	
18 to 24 in	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft 1.25 11.00 josikaea. Hungarian Lilac. 9'-10' Violet flowers, June. Has go	od
deep green rough foliage.	ou
18 to 24 in	
2 to 3 ft	
3 to 4 ft 1.00 9.00	
pekinensis. Peking Lilac. 12'-15' Creamy white flowers, Jun	ne.
Handsome foliage until late autumn. Grows quickly.	
2 ft	

28 PRINCETON NURSERI	ES PRICE LIST
	Each Per 10
SYRINGA persica. Persian Lilac. 9'-10'	Blooms freely—lilac, May-June.
18 to 24 in	
2 to 3 ft 3 to 4 ft	
persica alba. White Persian Lilac.	
2 to 3 ft	
	h-lilac, June. Fragrant—compact.
18 to 24 in	
2 to 3 ft	
3 to 4 ft	
vulgaris. Common Purple Lilac. 1	-
18 to 24 in 2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
vulgaris alba. Common White Lila	c. 10'-12'
18 to 24 in	
2 to 3 ft	
Alphonse Lavalle. Double light purp	
18 to 24 in	
2 to $2\frac{1}{2}$ ft	1.00
Charles the Tenth. Reddish purple, s	
18 to 24 in	
2 to 2½ ft	
2½ ft	
Michel Buchner. Double lilac. (owr	,
18 to 24 in	
2½ ft	
3 ft	
Marie LeGraye. Single white. (own	
18 to 24 in 2 to 2½ ft	
3 ft	
Mme. Lemoine. Double white. (ow	
18 to 24 in	.75
2 to 2½ ft	1.00 1.25
Mme. Casimir Perrier. Double white	
18 to 24 in	
2 to 2½ ft	1.00
3 ft	
President Grevy. Double blue. (own	
18 to 24 in 2 to 2½ ft	75 1.00
3 ft	1.25
Rubra DeMarly. Single, light blue. (own roots)
18 to 24 in	75
2 to 2½ ft	1.00 1.25
Ludwig Spaeth. Single, reddish purpl	
18 to 24 in	
2 to 2½ ft	1.00
3 ft	1.25

CVDINGA W. D.I D. II	Each Per 10	
SYRINGA Wm. Robinson. Double, violet pin 18 to 24 in		
2 to 2½ ft	1.00	
TAMARIX africana. African Tamarix. 12'-14 gray-green foliage. Effective nea		
2 to 3 ft	.35 \$3.00	
3 to 4 ft	.50 4.50 .75 6.50	
4 to 5 ft	1.00 9.00	
gallica. French Tamarix. 8'-9' Lt. pink, I		200
-	- ,	
2 to 3 ft	.75 6.50	
pentandra (aestivalis). Five Stamen Tan flowers late.		rose
2 to 3 ft 3 to 4 ft		
VACCINIUM corymbosum. Highbush Blueb		
1½ to 2 ft	75	
1½ to 2 ft	1.00	
VIBURNUM acerifolum, Maple Leaved Vibu June. Black fruits, maple-like leav —good for dry shady places.		
18 in		
2 ft		
americanum (oxycoccus). American Cran scarlet berries in large bunches p	nberry Bush. 8'-9' Br	ight
18 to 24 in 2 to 3 ft		
cassinoides. Witherod. 5'-6' White, June to dark blue. Rich autumn col	loring—splendid for mass	ging sing.
18 to 24 in	.50 4.50 .75 6.50 1.00 9.00	
dentatum Arrow Wood. 10'-12' White black, autumn coloring purple	te, May-June. Berries b	olue- soil.
2 to 3 ft	.50 4.50	
dilatatum. Linden Viburnum. 8'-9' showy berries persisting. Hand	some and valuable.	arlet
18 to 24 in	.50 4.50 .75 6.50	
3 to 4 ft	1.00 9.00	
lantana. Wayfaring Tree. 15'–18' Wh dark green wrinkled leaves. Be	rries red, changing to bl	ome la c k.
18 to 24 in		
2 to 3 ft		
lantana rugosum. Wrinkle Leaf Way larger and more wrinkled leaves	faring Tree. 15'-18'	Has
18 to 24 in		
2 to 3 ft	(-0	
7		
3 to 4 ft		

Each Per 10 VIBURNUM lentago. Nannyberry. 18'-20' White, May-June. Handsome shining leaves. Blue-black fruits. Splendid for massing. 18 to 24 in...... \$.50 \$4.50 2 to 3 ft75 6.50 3 to 4 ft 1.00 9.00 4 to 5 ft..... 1.25 Kentucky Viburnum. 10'-12' Larger, darker green leaves, but otherwise similar to "dentatum." 4.50 .75 6.50 1.00 9.00 Smooth Witherod. 7'-8' Thick leathery shining leaves. nudum. Creamy flowers, June-July. Berries pink, changing to blue-black. 18 to 24 in..... .75 2 to 3 ft..... 1.00 European Cranberry, 9'-10' Similar to American Cranberry but has smaller leaves and fruit. 2 to 3 ft..... 3 to 4 ft..... 1.00 opulus sterile. Common Snowball. 9'-10' Has showy round head of white flowers, May-June. No fruits are produced. 15 to 18 in..... .50 2 to 3 ft75 opulus nanum. Dwarf Cranberry. 1½'-2' Useful edging or facing .35 3.00 4.50 .50 6.50 .75 pubescens. Downy Viburnum. 8'-10' .50 .75 1.00 12 to 15 in..... 15 to 18 in..... 18 to 24 in..... prunifolium. Black Haw. 10'-12' Pure white flowers, April-June.
Blue-black glaucous berries. Sturdy habit. Handsome shrub. 18 to 24 in75 2 to 2½ ft..... 1.00 sieboldi. Siebold Viburnum. 9'-10' White, May-June. Berries pink, changing to black. Handsome large dark green leaves. .50 18 to 24 in..... 2 to 3 ft..... 6.50 .75 1.00 9.00 1.25 11.00 tomentosum. Doublefile Viburnum. 7'-8' Flat heads of white flowers, June. Berries red to black. Good foliage. .75 2 to 3 ft 3 to 4 ft..... 1.00 4 to 5 ft..... 1.25 tomentosum plicatum. Japanese Snowball. 7'-8' Showy white flowers in balls, June. Handsome foliage, purple in autumn.
 1½ to 2 ft.
 .60

 2 to 2½ ft.
 .80

 2½ to 3 ft.
 1.00

 3 to 4 ft.
 1.25
 1.00 ft 1.50 tomentosum plicatum standard. Tree form. 3 to 4 ft..... 2.00

Each Per 10				
VITEX agnus castus. Chaste Tree. 4'-5' Dainty shrub—lilac flowers, Aug.—Sept. Gray-green star-shaped leaves—prefers sun.				
18 to 24 in \$.50				
WEIGELA Abel carriere. Carrier Weigela. 8'-9' Red, yellow throat, June.				
3 to 4 ft				
amabilis. Rose Weigela. 7'-8' Light Pink.				
2 to 3 ft				
4 to 5 ft				
candida. White Weigela. 7'-8' Large pure white flowers.				
2 to 3 ft				
3 to 4 ft				
Desbois. Desbois Weigela. 6'-7' Deep rose—flowers profusely.				
2 to 3 ft				
3 to 4 ft				
Eva Rathke. Red Flowering Weigela. 4'-5' Carmine, June-Aug.				
Most floriferous.				
1½ to 2 ft				
2 to 2½ ft				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
floribunda. Crimson Weigela. 7'-8' Crimson, June. Free flowering.				
2 to 3 ft				
3 to 4 ft				
Lavalle. Lavalle Weigela. 7'-8' Bright Crimson.				
2 to 3 ft				
nana variegata. Variegated Leaf Weigela. 4'-5' Pale pink flower, variegated leaves—dwarf compact growth.				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				
rosea. Pink Weigela. 7'-8' Showy pink flowers freely produced, June. Vigorous grower.				
2 to 3 ft				
3 to 4 ft				
steltzneri. Steltzner Weigela. 6'-7' Dark rose—very profuse.				
2 to 3 ft				
Van Houtte. Van Houtte Weigela. 7'-8' Carmine.				
2 to 3 ft				
3 to 4 ft				
ZANTHORHIZA apiifolia. Yellowroot. 2'-3' Good ground cover—will succeed on dry sandy soil, banks etc.				
12 to 15 in				
15 to 18 in				

Bush Roses

H. P. indicates Hybrid Perpetual or June Rose. H. T. indicates Monthly Blooming Rose.

75c. Each.

Augustus Hartman, H. T., red. Columbia, H. T., dark pink. Constance, H. T., yellow. Crimson Queen, H. T., red. Dora Hansen, H. T., lt. pink. Duchess of Wellington, H. T., yel. Etoile de France, H. T., red. Florence Pemberton, H.T., lt.pink. Frau Karl Druschki, H. P., white. Gen. McArthur, H. T., red. George Ahrends, H. P., It. pink. George C. Waud, H. T., red. Gruss an Teplitz, H. T., red. Gustav Grunevald, H.T., dark pink. Harry Kirk, H. T., yellow. Hoosier Beauty, red. H. V. Machin, H. T., red. Jonkheer J. L. Mock, H.T., dk. pink. Kaiserine A. Victoria, H.T., white. Killarney Queen, H. T., dark pink. Lady Alice Stanley, H.T., dk. pink. Lady Hillingdon, H. T., yellow. Lady Pirrie, H. T., yellow shaded pink. Lady Ursula, H. T., lt. pink. La Tosca, H. T., lt. pink. Los Angeles, H. T., yellow shaded pink. Louis Catherine Breslau, H. T.,

yellow shaded pink.

Mad. Butterfly, H. T., lt. pink.

Mad. C. Testout, H. T., dark pink.

Mad. Edmee Metz, H. T., lt. pink.

Mad. Jules Bouche, H. T., white. Madam Ravary, H. T., yellow. Milady, H. T. red. Magna Charta, H. P., dark pink. Miss Cynthia Forde, H.T., dk.pink. Miss Lolita Armour, H. T., yellow shaded pink. Mrs. Aaron Ward, H. T., yellow. Mrs. A. R. Waddell, H. T., yellow shaded pink. Mrs. Charles Russell, H.T., dk.pink. Mrs. John Laing, H. P., dark pink. Mrs. W. C. Miller, H. T., dk. pink. Ophelia, H. T., lt. pink. Paul Neyron, H. P., dark pink. Radiance, H. T., dark pink. Red Radiance, H. T., red. Souv. de C. Pernet, H., T., yellow. \$1.50 each. Ulrich Brunner, H. P., red.

Mad. E. Herriot, H. T., yellow

shaded pink.

White Killarney, H. T., white. Baby Ramblers

Edith Cavell, Crimson. Ellen Poulsen, Pink. Geo. Elgar, Yellow. Mrs. Cutbush, Pink. Orleans, Red. White Baby Rambler. Red Baby Rambler. Lafayette, Red.

Climbing Roses

9	Each	Per 10		
American pillar. Single red, white center.				
18 to 24 in	\$.50	4.50		
2 to 3 ft	.75	6.50		
Crimson rambler. Crimson.				
18 to 24 in	.50	4.50		
2 to 3 ft	.75	6.50		
Dr. Van Fleet. Shell Pink.				
18 to 24 in	.50	4.50		
2 to 3 ft	.75	6.50		
3 to 4 ft	1.00	9.00		
Dorothy Perkins. Pink.				
18 to 24 in	.50	4.50		
2 to 3 ft	.75	6.50		
3 to 4 ft	1.00	9.00		

PRINCE	TON, NEW JE	ERSEY		33
		Each	Per 10	
CLIMBING ROSES—Continu	ed			
Dorothy Perkins. White.				
18 to 24 in			\$4.50	
			6.50	
		. 1.00	9.00	
Excelsa. Crimson.		50	4.50	
18 to 24 in 2 to 3 ft			4.50 6.50	
			9.00	
Gardenia. Yellow.		., 1100	7100	
2 to 3 ft		75	6.50	
3 to 4 ft			9.00	
Hiawatha. Single red.				
2 to 3 ft		.75	6.50	
3 to 4 ft			9.00	
Paul's scarlet climber. L				
18 to 24 in		.75	6.50	
Silver moon. Semi-double				
18 to 24 in			4.50	
2 to 3 ft 3 to 4 ft			6.50	
3 to 4 It		1.00	9.00	
	¥7:			
	Vines			
ACTINIDIA arguta. Bower	Actinidia. 20	′-30′ Gre	enish wh	ite, July.
Rich dark green	foliage—yellow	berries.		
18 to 24 in		\$.75		
AKEBIA quinata. Fiveleaf A	kebia. 15'–20'	Dainty be	autiful vir	ne, purple
flower, May.	Deep green leave	es—persisti	ng till win	ter.
			\$6.50	
3 yr			9.00	
AMPELOPSIS engelmanni. clinging woodbi	Engelmann Cr ne—very hardy	eeper. 30	′-40′ A	good self
2 yr 3 yr. extra		50	4.50	
3 yr. extra		75	6.50	
quinquefolia. Virginia C		9' Valuat	ole for ri	ch fiery
autumn coloring				
2 yr			4.50	
3 yr. extra			6.50	
veitchi. Japanese Creepe	r. 40'-50' Bri	illiant autu	ımn color	ing, blue
	olack—closely se			
			4.50	
2 yr			6.50	
	pet Vine. 20'-			
	and orange, July			S.
			3.00	
2 yr 2 yr. extra	••••	.50	4.50	
2 yr. extra		75	6.50	201 11
CELASTRUS orbiculata (artic	culata). Oriente	al Bittersu	veet. 15'	20' Has
_	ge and crimson			ı wınter.
			4.50	
			6.50 9.00	
- J.:				
scandens. American Bitt		in color	daptable v	ine, with
	berries that reta			ia aried.
		.50	4.50 6.50	
			9.00	
J yr. extra		1.00	2.00	

34	PRINCETON NURSERIES PRICE LIST
	Each Per 10
CLEMATIS	paniculata. Sweet Autuun Clematis. $20'-30'$ White fragrant flowers, Sept. Wooly seed pods also attractive.
	2 yr. \$.50 \$4.50 2 yr. extra .75 6.50 3 yr. extra 1.00 9.00
	2 yr. extra
EUONYMU	S. (See Evergreens)
	elix. English Ivy. 20'-50' Evergreen—good ground cover in shade.
	1 yr
LONICERA	- y:
	2 yr
	2 yr .35 3.00 3 yr .50 4.50 Japanese Golden Honeysuckle. 15'-20' Leaves veined
aurea.	golden vellow.
	2 yr
halliana	. Hall Japanese Honeysuckle. 15'-25' Grows rampantly. Blooms freely, deliciously fragrant.
	2 yr
haderati	3 yr
песктоп	side, yellow inside, July–Sept. 2 yr
	3 yr
semperv	virens. Trumpet Honeysuckle. 15'-20' Bright scarlet showy flowers, July-Sept.
	2 yr
LVCHIM ba	3 yr
LICION ba	rbarum. Matrimony Vine. 10'-12' Violet flowers in June, followed by bright red fruits. For banks or retaining walls.
	18 to 24 in
-1.3	2 to 3 ft
cninens	is. Chinese Matrimony Vine. 12'-15' More vigorous and fruitful than preceding, otherwise similar in habit.
	fruitful than preceding, otherwise similar in habit. 18 to 24 in
	2 to 3 ft
PUERARIA	thunbergiana. Kudzu Vine. 40'-50' Growth remarkably rapid. Purple flowers in August.
	1 yr
VITIS labru	sca. Fox Grape. 20'-30' Handsome foliage with splendid
	sca. Fox Grape. 20'-30' Handsome foliage with splendid autumn effect. Will quickly cover boulders or banks.
	2 to 3 ft
WISTARIA	multijuga. Long Chister Wistaria. 40'-50' Deep blue long
	clusters, May. Seen to best advantage when trained on old trees or open trellises.
	18 to 24 in
	2 to 3 ft
sinensis	week before preceding.
	2 to 3 ft
sinensis	alba. White Chinese Wistaria. 40'-50'
	18 in
	2 to 3 ft

Conifers and Evergreens

These have all been transplanted, most of them several times, giving ample room for full development, and frequently sheared to produce compact, symmetrical specimens. All balled and burlapped at the prices named, except where marked with a **

Each

ABIES cephalonica. Greek Fir. 60'-75' Has stiff shining dark green leaves. Handsome symmetrical specimen.

2 ft \$5.00

concolor. White Fir. 70'-80' Grows quickly and forms symmetrical beautiful specimen. Large gray-green needles.

18	in	3.00
2	ft	4.50
21/2	ft	6.00
3	ft	7.50

douglasi (pseudotsuga). Douglas Fir. 70'-80' Very hardy—dark bluish-green coloring. Prefers well drained situation.

2	ft	***************************************	3.50
21/2	ft		4.50
3	ft		6.00
4	ft	***************************************	8.00
5	ft		10.00

nordmanniana. Nordmann Fir. 60'-70' Grows slowly when young. Flat leaves, rich shining green above, silvery white beneath.

ANDROMEDA catesbaei (See Leucothoe and Pieris)

AZALEA amoena. Japanese Azalea. 2½′-3′ Conspicuous purple-red flowers, April-May. Leaves turn rich bronze-green in winter.

		8 in.**	
8	to	10 in.**	1.25
0	to	12 in	1.75
2	in		2.00
5	in		2.50

hinodegiri. Red Japanese Azalea. (Pot Grown) 3'-4' Larger leaves and looser growth than above, flowers very bright carmine-pink—effective in masses or with Rhododendron

U	w	0	111.	 	 	 1.43
8	to	10	in.	 	 	 1.50
10	in			 	 	 2.00
12	in			 	 	 2.50

kaempferi. (See Shrubs)

1

BERBERIS ilicifolia. Hollyleaf Barberry. 5'-6' Holly-like leaves persisting till new foliage appears—flowers yellow.

15	to	18	in	1.00
18	to	24	in	1.25
2	to	21/2	ft	1.50
21/	to	3	ft	2.00

BIOTA orientalis. Oriental Arborvitae. 20'-25' Rather stiff columnar habit, bright green foliage, bronze in winter, good accent plant.

11/2	ft	1.50
2	ft	2.00
21/9	ft	3.00
	ft	
4	ft	6.00
r	C.	0.00

36 PRINCETON NURSERIES P	RICE LIST
BIOTA orientalis aurea conspicua. Goldspir golden yellow in spring, bronze upright growth.	yellow in winter. Narrow
15 in	5.00
orientalis compacta. Siebold Arborvita oval-shaped specimen. Good f 12 in 15 in	resh green color.
orientalis elegantissima. Yellow Column	
rich deep golden bronze color in 15 in	winter. Compact, columnar. 2.00 3.00 4.00 5.00
orientalis nana aurea. Berckman Golden .	Arborvitae. 2½'-3' A gem
for dwarf planting—compact r yellow foliage. Especially good 6 to 8 in 8 to 10 in 10 to 12 in 12 in 15 in 18 in	for formal work and edging. 1.00 \$9.00 1.50 13.50 2.00 18.00 2.50 22.50 3.00 4.00
Rosedale. Rosedale Arborvitae. 3'-4'	
18 in 2 ft	
BUXUS sempervirens. Box. (Bush form) 12'	
8 to 10 in.** bushy 10 in. ** " 12 in. ** " 15 in. " 18 in. " 18 in., sheared 2 ft., sheared	.50 4.50 .75 6.50 1.00 9.00 1.50 13.50 2.50 22.50 5.00
Globes. (clipped) 16 to 18 in	10.00
24 to 28 in 28 to 32 in 32 to 36 in	10.00
suffruticosa. True Dwarf Box. 3'-4'	
3 in. ** 4 in. ** 6 in. ** 8 in. ** 10 in. **	3.00 20.00 60 5.00 30.00 1.00 8.00 50.00 1.50 13.50
CALLUNA. Scotch Heather. 1'-2' A splet Best in large masses on well-dra	ndid evergreen ground cover. nined slopes.
vulgaris. Purple Heather.	
vulgaris alba. White Heather. 6 to	8 in.** .35
vulgaris alporti. Alport Heather. 8 to Deep rose.	10 in.** .50
	12 in.** .75
vulgaris rubra. Red Heather.	

PRINCETON, NEW JERSET 37
CHAMAEDAPHNE calyculata. Leatherleaf. 3'-4' White flowers in Attractive, useful. 12 to 15 in \$1.00 \$1.00 15 to 18 in 1.50 1.50 18 to 24 in 2.00
COTONEASTER acutifolia. 5'-6'
2 ft 1.00
$2\frac{1}{2}$ to 3 ft
horizontalis davidiana. Rock Cotoneaster. 1'-11/2' Small box-like
leaves, bright red berries. Effective among rocks.
10 in 1.00
12 in
15 in 1.50
microphylla. Rockspray. $1\frac{1}{2}-2$ Very small leaves, very deep green. Rather more bushy than preceding.
12 in 1.00
15 in 1.50
18 in
simonsi. 6'-8' Almost evergreen. Rather loose habit.
2 ft
-/2
CRYPTOMERIA lobbi compacta. Cave Cryptomeria. 15'-20' Forms
narrow irregular column—compact and picturesque. Rich winter color, bronze-green. Prefers moist well-drained location.
18 in
2 ft
2½ ft
3 ft
DAPHNE cneorum. Rose Daphne. 1' Gray-green foliage—low spreading.
Pretty pink flowers in April-May. Delightful fragrance.
10 in
EUONYMOUS japonicus. Japanese Euonymus. 5'-6' Lustrous deep
EUONYMOUS japonicus. Japanese Euonymus. 5'-6' Lustrous deep green leaves. Upright bushy habit. Needs winter protection. 8 to 10 in**
10 to 12 in**/5
patens (sieboldianus.) Spreading Enonymus. 6'-8' Vigorous grower,
forming broad, rather loose shrub, leaves persisting until late winter. Ornamental fruits. Effective among denser conifers.
12 in.**
18 in. 1.00
2 ft. 1.50
radicans. Wintercreeper. Climbing to 15 ft. Self-clinging vine. Good
for covering low walls, also useful for under planting.
8 to 12 in.** 2 yr., bushy35 \$3.00
12 to 15 in.** " "50 4.50
radicans acutus. Sharpleaf Wintercreeper. A graceful form with
long, narrow leaves, white veins, purplish underneath.
15 in., 2 yr.**
18 in., 3 yr.**
15 in., 2 yr.**
12 to 15 in.** 2 yr
12 to 15 in.** 2 yr
radicans minimus. Baby Wintercreeper. 2'-3' Has tiny evergreen leaves and a dainty trailing habit. Charming rock subject.
6 to 8 in
8 to 10 in
radicans variegatus. Variegated Wintercreeper. Leaves veined and
marked vellowish white and pink. Clinging vine.
8 to 12 in.** 2 yr., bushy35 3.00
12 to 15 in.** 3 yr., "50 4.50

Each Per 1C EUONYMOUS radicans vegetus. Bigleaf Wintercreeper. 3'-4' Bushy interesting growth. Leaves round, dull green. Bright scarlet fruits freely produced. Handsome among evergreens. 6.50 1.00 9.00 radicans vegetus. (Grown from seedlings). Does not fruit so freely. ** .35 3.00 2 yr. 3 yr. .50 4.50 ILEX crenata. Japanese Holly. 8'-10' Box-like leaves, rich deep green and leathery. Stiff, branching—a good hedge. Black berries. 2.00 18 in 3.00 4.00 crenata microphylla. Small Leaf Japanese Holly. 6'-8' Smaller leaves and more hardy than preceding. More compact habit. $\bar{2}.00$ in 18 3.00 in 4.50 ft... 2½ ft.... 6.00 8.50 ft.. 10.00 Inkberry. 5'-6' Shining dark green leaves purplish in winter. Black berries. Useful for shady spots, also succeeds in sun. 1.50 15 in 2.00 American Holly. 25'-30' Does best in moist partially shaded opaca. place. Rather difficult to transplant. 2 ft...... 3.50 2½ ft..... 4.50 6.00 7.50 ft..... 10.00 JUNIPERUS canadensis. (See Communis.) chinensis. Chinese Juniper. 15'-20' Formal columnar outline, graygreen foliage of two types. 18 in 2.50 2 ft..... 3.50 5.00 chinensis albo variegata. White Leaf Chinese Juniper. 6'-8' Light glaucous foliage with creamy branches interspersed. Formal but useful in low plantings. 12 in 2.00 15 in..... 2.50 18 in..... 3.50 2 ft 5.00 chinensis columnaris. Columnar Chinese Juniper. Grows rapidly, forming tall, narrow column of gray-green foliage. Spirelike effect. Very useful in evergreen planting. 2 ft...... 4.50 2½ ft.... 6.CO 7.50 chinensis neaboriensis. Conical Chinese Juniper. 7'-8' Very formal narrow pyramid. Prickly leaves. Useful accent plant. in 2.00 ft..... 3.00 2½ ft..... 4.00

ft.....

6.00

	PRINCETON, NEW JERS	SEY	3
		Each P	er 10 ·
JNIPERUS	chinensis oblonga. 7'-8' Forms brofeathery branches. Grayish foliag		
	15 in	1.75 2.50	
	18 in	3.50	
	2½ ft	5.00	
	3 ft	7.50	
chinensis	Gray-green foliage giving feather adaptable hardy evergreen, highly	ery appear	ance. A mos
	15 in	2.00	
	1½ ft 2 ft	3.00 4.00	
	2½ ft	6.00	
	3 ft	8.50	
chinensis	sargenti. Sargeut Juniper. 1½' green foliage. A valuable ground 10 to 12 in	Prostrate cover and 2.50	habit. Grass rock plant.
	12 to 15 in	3.50	
	15 to 18 in	5.00	
communi	12 to 15 in	orms a va: 1.00 1.75	se-shaped bush
	15 to 18 in	2.50	
	2 ft	3.50	
communi	s aurea. Golden Common Juniper habit. Golden foliage, particularly 12 in	r. 1'-1½' bright in 1.75	Low spreadin spring.
	15 in	2.50	
communi	s canadensis. Canada Juniper. shaped bush. Leaves dark green a	$2\frac{1}{2}$ '-3' F	orms low vase sh beneath.
	12 in	1.25	
	15 in	2.00	
	18 ins cracovica. Polish Juniper. 4	3.00 *′ 5′	ght, branchin
Commun	from ground, making very narrow	column.	giit, branciin
	10 in	1.25	
	12 in	1.75	
	15 in	2.50	
communi	s hibernica. Irish Juniper. 7'-8' Useful for its spire-like effect.	A very na	arrow pyramic
	12 in	1.00	
	15 in	1.50	
	18 in	2.00 2.50	
communi	s depressa (prostrata.) Prostrate C Branches spread almost along grou	ommou Ji	niper. 1'-1½ al ground cove
	and rock plant.		
	12 in 15 in		3.50 7.50
	18 in		2.50
	2 ft	3.50	
	2½ ft	5.00	
	s suecica. Swedish Juniper. 6'-7 Juniper but more hardy.	" Similar 2.25	in habit to Iris
	18 in	3.00	
	s suecica nana. Dwarf Swedish Ju		-3½′ A narrov
communi	s succica nana. Dwari sweatsh su		
	compact column of slow growth.		
		1.50 2.00	

40	PRINCETON NURSERIES P	RICE LIST
		Each Per 10
JUNIPERUS	S conferta (litoralis). Shore Junipuseful on sandy places or seaside	planting. Large leaves.
	15 in	
excelsa	stricta. Spiny Greek Juniper. pyramid. Foliage gray-green, Me	ost useful for formal effects
	10 in	1.50 2.00
	15 in	2.75 3.50 5.00
horizon	talis (sabina prostrata). Creeping	Savin. $I'-1\frac{1}{2}'$ Branche
	trail along ground. Good for roc	-
	18 in	2.75
	2 ft	3.50 5.00
horizon	talis douglasi. Wankegan Junipe trailing along ground. Steely-blu- cover, also effective among rock.	e foliage. A splendid groun
	12 in	
	15 in	
japonica	a. Japanese Juniper. 3'-4' Low dark green scaly leaves. Adapted 8 to 10 in	d to rock planting.
ianonic:	a aurea variegata. Golden Var	1.50 riegated Juniper 2′–2½
Juponie	Useful for low plantings.	regated vaniper. 2 2/2
	12 in	
sabina.	Savin. 6'-7' Dense dark green f forming irregular vase-shaped but	foliage. Spreading branche
	10 in	1.25 2.00
	12 in	2.75
	18 in	3.50
cahina	2 fttamariscifolia. Tamarix Juniper	5.00 r . $1'-1\frac{1}{2}'$ Flat, spreading
Sabilia	making compact but soft texture	e in low evergreen planting
	10 to 12 in	1.75 2.50
	15 to 18 in	3.25
vinginal	is globase. Cloba Labarras Ivo	5.00
virginai	is globosa. Globe Japanese Jun branchlets, scaly fresh green leav planting.	ves. Useful for foundatio
	8 in	1.25 1.75
	12 in	2.50
	15 in	3.50
virginia	na. <i>Redcedar</i> . 25′–30′ Forms a dense purplish in winter. Useful in form	
	18 in	1.25
	2 ft 3 ft	2.25 3.50
	4 ft	5.00
	5 ft	7.50

	11	MINCLIC	, INL W	JEIGE I		71
HINIPERIIS	S virginiana	cannarti	Cannart	Each Cedar. 12	Per 10	en blue.
JONII ERO.				columnar fo		ep brue-
		-		\$3,00		
				6.00		
virginia	tips to b	ranches, tı	irning bron	edar. 10'- ze in winter.	12′ Bright Attractive	t yellow variety.
	2 ft			3.50		
1-1-	2½ ft 3 ft			5.00 7.50		
virginia				15'-20' H	3luish-gray	toliage.
			· · · · · · · · · · · · · · · · · · ·			
virginia	na pendula and droc			ar. 8′–10′ uresque effect	Branches le	engthen
	2½ ft			4.00		
	$3\frac{1}{2}$ ft			8.00		
virginia	na schotti. foliage.	Schott Compact	Redcedar. formal col	. 12'-15' umnar habit.	Has fresh	green
virginia	na tripartita	a. Fount		dar. 4'-5'	A bushy l	nalf up-
	3 ft			7.00		
waukeg	an. (See H	orizontalis	Douglasi)			
KALMIA a	flowers,	June. Go	ood for dry	y sunny plac	leaves—dee es.	p pink
latifolia	clusters o	of pink tlo	wers open.	Most effective Good folia	in June wh ige, likes sh	nen the ade.
	12 to 1	8 in		2.00 3.00 4.00 5.00		
	18 to 2	4 in		3.00	27.00	
	2 to	2½ ft		4.00 5.00	35.00	
I DUIGODIU	2½ to) II		5.00		
LEUCOTHO	flowers,	May. Ha		strous leaves,		
					13.50	
					22.50	
	2 ft			5.00		
LEIOPHYL	LUM buxifo in June.	lium. So Leaves ar	ınd Myrtle e small. G	. 18" Sma lood ground	ıll pale pink cover or roc	flower k plant.
	12 in					
	18 in			4.00		

F	Each Per 10
	striking in May when shade. 2.00
PICEA alba. White Spruce. 50'-60' Silvery shapely specimen of close texture.	foliage—develops into
15 in	1.50 2.00 3.00 4.00
alba albertiana. Dwarf Alberta Spruce. 2½ slow-growing variety, valuable when	-3' Extremely compact,
12 in	5.00 6.00 7.50 8.50 0.00
excelsa. Norway Spruce. 80'-100' A go	
	1.50 2.50 3.50 5.00 6.00 7.50
excelsa conica. Arrowhead Norway Spruce. Compact and symmetrical—good fo	6'-7' Grows slowly.
10 in	2.00 2.50 3.00 4.00
excelsa pumila. Dwarf Norway Spruce. 4' slow growing. Deep green. Most	
18 in	5.00
orientalis. Oriental Spruce. 50'-60' Splend Deep green glossy needles. Gracefu	id symmetrical specimen. Il habit—slow grower.
15 in	2.50
18 in 2 ft	3.50 5.00
pungens. Colorado Spruce. 60'-80' Bran forming handsome lawn specimen.	nches in distinct whorls,
18 in	2.50 3.50
2½ ft	5.00
PIERIS japonica. Japanese Andromeda. 4'- turning bronze in winter. Droopin flowers open in May. Grows slowl shaded place.	g clusters of small white y—best in moist, partially
12 to 15 in	2.50 3.50
floribunda. Mountain Andromeda. 4' Wa Good deep green foliage, best in hal	xy white flowers in May.
12 in	3.00 4.00
PINUS austriaca (nigra). Austrian Pine. 60'-70'	Rich dark green, vigorous,
dense grower. Good for backgrour 2 ft	2.50
2½ ft	3.50 5.00

Each Per 10 PINUS cembra. Swiss Stone Pine. 20'-25' Thin bluish-green needles and close growth give soft texture. Symmetrical blunt pyramid when young. Grows slowly. 12 in \$2.50 18 in ft 5.00 2½ ft 7.50 densiflora. Japanese Red Pine. 40'-50' Long bright-green needles -succeeds well at seashore. 2.00 1½ to 2 ft..... 2.50 3.50 5.00 densiflora umbraculifera. Japanese Umbrella Pine. 3'-4' A dwarf variety in which the branches form a flat-topped table-like bush. Rather curious but a useful dwarf pine. 12 in 15 in..... 4.00 5.00 Limber Pine. 30'-40' Buish or dark green leaves. Good flexilis. for rocky places. Grows slowly. in 2.50 ft..... 3.50 2½ ft.... 4.5C ft..... 6.00 montana mughus. Mugho Pine. 2½'-3' Forms a round-topped bush. Useful for rock planting and foundation work. 12 in 2.50 15 in 3.00 18 in..... 4.00 2 ft..... 6.00 resinosa. Red Pine. 50'-60' Rich green stiff leaves. Reddish brown bark. Vigorous, symmetrical grower. 2 ft 2½ ft 3.50 3 ft 5.00 Pitch Pine. 40'-50' Irregular, picturesque habit. Useful for rigida. dry, poor soil and seashore planting-quick grower. 2½ ft..... 2.50 3.50 ft..... 5.00 ft...... 5 ft 7.50 White Pine. 80'-100' Probably our most adaptable and strobus.

 useful pine.
 Very picturesque when old.

 2 ft......
 2.00

 2½ ft.....
 2.50

 3.50 ft..... 5.00 ft..... ft.. 6.00 sylvestris. Scotch Pine. 60'-70' Rather short blue-green twisted needles. Does well on poor soils. Picturesque when old. ft..... 2.00 2.50 21/2 ft..... 3.50 3 ft..... RETINISPORA ericoides. Heath Retinispora. 3'-4' Has heather-like leaves, giving wooly effect. Forms a round, broad bush. in 1.50 2.00 in 18 in 2.50 3.50 ft.....

2½ ft.....

5.00

PRINCETON NURSERIES PRICE LIST 44 Each Per 10 5'-6' Broadly columnar RETINISPORA Jeptoclada. Andely Cypress. habit branching from ground. Bluish-green foliage. 12 to 15 in..... \$.2.00 2.50 in ft 3.50 Hinoki Cypress. 15'-20' Dark green lustrous foliage ohtusa grows slowly. Forms beautiful specimen—fern-like branches. 3.50 2 ft..... 2½ ft 5.00 ft 6.00 obtusa compacta. Football Cypress. 21/2'-4' Almost spherical in shape—good green during winter. Useful as foundation. 12 in 2.00 15 in 3.00 18 in 5.00 obtusa crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. Slow growing—hardy. 15 in 3.00 18 in 4.00 2 ft 5.00 obtusa gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. Slow grower. 2.00 3.00 18 in 4.00 5.00 obtusa gracilis compacta. Compact Hinoki Cypress. 4'-5' Very slow and compact grower. Roughly pyramid in outline. 15 in..... 3.00 18 in 4.00 2 ft...... 5.00 obtusa nana. Dwarf Hinoki Cypress. 2'-21/2' Forms a dense irregular little mass, interesting and useful for rock gardens. 8 in..... 2.00 2.50 10 in..... obtusa nana aurea. Dwarf Golden Hinoki Cypress. 2'-21/2' A golden leaved form of preceding. 10 in obtusa youngi. Young Golden Hinoki Cypress. 12'-15' Graceful loose habit. Good constant light yellow foliage on outside of bush. 15 in 2.00 in ______ft____ 3.00 4.50 2½ ft..... 6.00 pisifera. Sawara Cypress. 25'-35' Quick grower, loosely pyramidal. 2.75 3.50 1½ ft ft..... 4.50 ft 6.00 pisifera aurea. Golden Sawara Cypress. 25'-35' Foliage bright yellow especially in spring. Branches droop when older. in 2.00 3.00 in

ft......

ft.....

4.00

5.00 6.00

	PRINCETON, NEW	JERSEY	45
		Each	Per 10
RETINISPO	RA plumosa. Plume Cypres		6' Forms a dense
	cone of fine texture. Useful f	or shearing	into formal shapes.
	12 in		ı
	15 in		
	1½ ft		
	2 ft		
	2½ ft		
	3 ft		
piumosa	aurea. Golden Plume Cypress		Has yellow leaves.
	15 in		
	18 in., bushy	3.00 4.00	
	2½ ft	5.00	
nlumosa	lutescens. Dwarf Yellow Plun		21/2'-3' Forms a
prumosu	low broad round-topped bush;	bright vello	w tipped branchlets.
	10 in	0 2	1.1
	12 in		
	15 in	3.50	
	18 in		
filifera.	Thread Cypress. 15'-20'		
	branches and bright green foli	age—gracef	ul and decorative.
	12 in		
	15 in		
	18 in		
	2 ft		
	3 ft		
filifera a	urea. Golden Thread Cypres		Very bright con-
	spicuous golden yellow. Grow	s more slov	vly than preceding.
	8 to 10 in		
	10 to 12 in		
	12 in		
	15 in		
filifera a	urea nova. VariegatedThread		10'–12' Branches
	are varigated green and yellow		
	8 in 10 in		
	12 in		
squarros	a veitchi. Veitch Moss Cypr		30' Foliage blue-
Squarros	gray, feathery and dense, gi	ving soft v	
	Broad pyramidal outline when	voung.	5 11
	12 in		
	15 in		
	1½ ft., bushy 2 ft., "	3.00	
	2 ft., "	5.00	
	3 ft		
squarros	a sulphurea. Sulphur Moss C		0'-25' Similar in
04	growth to Veitch's but has lig		
	12 in	1.75	
	15 in	2.25	
	18 in		
	2 ft		
	2½ ft		. 1
thyoides.	Whitecedar. Irregular slende foliage purplish in winter. Va	r outline, bl	uisn-gray fragrant
			ow marshy places.
	2 ft	4 0 0	
	3 ft		
	3½ ft		
	4 ft	10.00	

Each Per 10 RHODODENDRON. Hybrid Rhododendron. 3'-8'
1½ ft
carolinianum. Carolina Rhododendron. 4'-6' Rosy-purple flowers, best in moist, shady places. 12 to 18 in
catawbiense. Catawbe Rhododendron. 6'-9' Large rosy-purple flowers, May-June. Deep green leaves, prefers half-shade.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
maximum. Rosebay Rhododendron. 8'-12' Beautiful light pink flowers freely produced in May-June. Large, handsome foliage, most effective in masses.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
minus (punctatum). Piedmont Rhododendron. 4'-5' Pale rose, May. 18 in
TAXUS baccata adpressa erecta. Shortleaf English Yew. 3'-5' Compact, upright. Stiff dark green leaves crowded on branches.
10 to 12 in
baccata compacta. 3'-4' Neat, compact form, short deep-green leaves.
12 in
baccata repandens. Spreading English Yew. 1½'-2' Spreading horizontal branches, dark blue-green leaves. Valuable for low planting.
10 in 1.75 15.00 12 in 2.25 20.00 15 in 3.00 27.00 18 in 4.00 36.00 2 ft 5.00 45.00
canadensis. Canada Yew. 2'-2½' Spreading habit, bronzy in winter. Prefers shade—good for underplanting.
10 in
cuspidata. Japanese Yew. 4'-5' (Spreading form.) Rich dark green leaves. Spreading, bushy. Valuable for foundation planting.
12 in

	Each	Per 10	
TAXUS cuspidata brevifolia. Dwarf Japanese	Yew.	2'-3' Br	
leaves, blackish green. Slow grow	_	-	ading.
8 in 10 in., bushy	\$1.50 2.00	\$13.50 18.00	
12 in	3.00	27.00	
15 in	4.00	36.00	
18 in	5.00	45.00	
THUJA Lobbi atrovirens. Rich shining deep-gre	en fles 2.50	hy leaves.	
18 in	3.00		
occidentalis. American Arborvitae. 15'-3	0' Sle	nder pyran	nid with
broad base. Bronzy winter coloring for a hedge. Amenable to clipping	ng. G g.	ood accent	plant or
1½ ft 2 ft	1.50		
2½ ft	3.00		
3 ft	4.00		
3½ ft 4 ft	5.00		
occidentalis columbia. Columbia Arbor		6'-10'	Branchae
tipped with silvery white. Forma			
12 in	1.50	1.5	
15 in	2.00		
18 in 2 ft	2.50 3.50		
2½ ft	5.00		
occidentalis compacta. Parsons Dwarf Arb globe shaped. Bright green. Use tion planting.			
12 in	2.00	18.00	
15 in	2.50	22.50	
18 in 2 ft. specimens	3.50 5.00		
occidentalis douglasi aurea. Douglas Gold		homitaa	10'-15'
A broad pyramid with golden gree			10-13
18 in	2.00		
2 ft	3.00		
2½ ft 3 ft	4.00 5.00		
3½ ft	7.50		
	10.00		
occidentalis elegantissima. Golden Tippe Branches tipped with yellow. Rich	h lustro	borvitae. ous green o	10′-15′ herwise.
18 in 2 ft	2.00		
2½ ft	4.00		
3 ft	5.00		
occidentalis ellwangeriana. Tom Thumb A heather-like leaves—dense habit—s low, broad, blunt pyramid. Rich	oft, clo	se texture.	Forms
12 in	1.50	13.50	
15 in	2.00 2.50	18.00 22.50	
2 ft	3.50	31.00	
2½ ft	5.00		
occidentalis recurva nana. Little Gem Arb		. 2'	
10 in 12 in	2.00 2.50		

48	PRINCETON NURSERIES PRICE LIST
	Each Per 10
ТН	UJA occidentalis globosa. Globe Arborvitae. $2\frac{1}{2}$ '-3' Useful in for-
	mal work. Naturally globe shaped.
	10 in\$1.50 \$13.50
	12 in 2.00 18.00
	15 in
	occidentalis hoveyi. Hovey Arborvitae. 3'-4' Oval in shape,
	nearly as broad as high. Bright green foliage.
	12 in
	15 in
	2 ft
	occidentalis lutea. Geo. Peabody Arborvitae. 10'-15' Conspicuous
	golden yellow form. Columnar outline.
	15 in
	2 ft 3.50
	2½ ft 4.50
	3 ft
	occidentalis plicata (filicoides). Moss Arborvitae 10'-20' Rich deep blue-green foliage. Short, stiff fern-like branches give
	pleasing effect in light and shade. Formal pyramid.
	18 in 1.75
	2 ft 2.50 2½ ft 3.50
	2½ ft
	3½ ft 6.00
	4 ft
	occidentalis pyramidalis. Pyramidal Arborvitae. 15'-30' Retains bright green coloring throughout winter. Narrow columnar
	shape, splendid for accents or formal planting.
	18 in 1.50
	2 ft 2.00
	2½ ft
	3½ ft
	4 ft
	occidentalis rosenthali. Rosenthal Arborvitae. 6'-10' Dense rugged columnar form. Slow grower.
	12 in 1.50
	15 in 2.00
	18 in
	$\frac{21}{2}$ ft
	occidentalis spaethi. Spaeth Arborvitae. 21/2'-4' Two kinds of
	leaves—heathlike and scaly. Interesting and distinct.
	18 in
	good-low mushroom shaped form with rich green foliage.
	10 in
	15 in
	occidentalis vervaeneana. Vervaene Arborvitae. 8'–12' Variegated greenish yellow foliage, bronzy in winter—broadly pyramidal.
	18 in 2.00
	2 ft 2.75
	*2½ ft
	3½ ft 6.00
	4 ft 8.00

Eac	h.	Р	er .	1 (Э.

THUJA	occidentalis v	ervaeneana aurea.	Golden	Vervaene	Arborvitae.
	8'– $12'$	A more intense yel	low than	preceding.	

$1\frac{1}{2}$	ft	\$2.00
	ft	
$2\frac{1}{2}$	ft	4.50
3	ft	5.00
	ft	
4	ft	10.00

wareana (siberica.) Siberian Arborvitae. 12' 15' Light green fleshy foliage. Broadly pyramidal, rugged in appearance.

15	in	1.75	\$15.00
$1\frac{1}{2}$	ft	2.25	20.00
	ft		27.00
$2\frac{1}{2}$	ft	4.50	40.00
3	ft	6.00	
31/2	ft	8.00	

TSUGA canadensis. Canada Hemlock. 75'-90' Most graceful and adaptable, the spreading horizontal branches making effective shadow effects. Useful as clipped hedge or informal planting.

18	in	2.50
2	ft	3.00
$2\frac{1}{2}$	ft	4.00
3	ft	5.00
4	ft	7.50
5	ft	10.00

caroliniana. Carolina Hemlock. 50'-60' A particularly fine evergreen with horizontal branches and thick green leaves—very hardy.

18	in	2.50
2	ft	3,50

VIBURNUM rhytidophyllum. Leatherleaf Viburnum. 6'-8' Large oblong leaves, deep green above, gray beneath—a bold handsome shrub.

12 to 18 in 1.50

YUCCA filamentosa. Adam's Needle. 2'-3' Long lance-like leaves. Tall flower spike grows up quickly in June-July. Numerous creamy flowers and general appearance give tropical effect. Useful for massing with either evergreens or shrubbery.

2	**	2.5	2.25
2	yr. · · ·	.23	2.23

Hardy Herbaceous Perennials

* indicates plants suitable for rockery or alpine gardens.

	Each	Per 10	Per 100
ACHILLAE ageratum. Sweet Yarrow. 2' Yellow, June-Sept	\$.25	\$2.00	\$18.00
ptarmica Boule de niege. Ball of Snow Yarrow. 18" White, June-Sept	.25	2.00	18.00
*tomentosa. Woody Yarrow. 1'			
Yellow, June-Sept	.25	2.00	18.00
ACONITUM fischeri. Azure Monkshood. 2½' Dark blue, Sept-Oct	.35	3.00	
*AETHIONEMA coridifolium. Lebanon Stone- cress. 1' Pink, June	.25	2.00	18.00
ALTHAEA. IIollyhock. 5' Assorted, single and double, July-Aug	.25	2.00	18.00
*ALYSSUM. saxitale compactum. Dwarf			
Golden Tuft. 1' Yellow, April-May	.25	2.00	18.00
ANCHUSA italica. Italian Bugloss. 4' Blue, June-Sept	.35	3.00	
AQUILEGIA caerulea. Colorado Columbine. 18" Blue and white, May-June	.25	2.00	18.00
chrysantha. Golden Columbine. 2' Yellow, May-June	.25	2.00	18.00
*flabellata nana. White Fan Columbine. 1' White, May-June	.25	2.00	18.00
formosa truncata. California Hybrids. 2'			
Various colors, May-June	.25	2.00	18.00
*ARABIS alpina. Wall Cress. 6" White, April-May	.25	2.00	18.00
*flore pleno. Double Wall Cress. 6" White, April-May	.35	3.00	
*ARENARIA montana. Sand-wort. 4" White, April-May	.25	2.00	18.00
*ARMERIA maritima. Sea Thrift. 6" Pink, May-June	.25	2.00	18.00
*ASTER alpinus. Rock Aster. 8"	.23	2.00	10.00
Lilac, May-June	.25	2.00	18.00
Beauty of Colwall. 4' Lavender. Aug	.25	2.00	18.00
sub-coeruleus. 12" Mauve, June-July	.25	2.00	18.00
*AUBRETIA deltoidea. Common Aubretia. 6" Violet, April-May	.35	3.00	
BAPTISIA australis. False Indigo. 2½'			
Dark blue, May-July	.25	2.00	18.00
tinctoria. Wild Indigo. 2' Yellow, June–July	.25	2.00	18.00
BOLTONIA. Pink Boltonia. AugSept	.25	2.00	18.00
latisquama. Boltonia. 4' Lavender, Aug.–Sept	.25	2.00	18.00
latisquama nana. Dwarf Pinkray Boltonia. 2' Light Pink, AugSept	.25	2.00	18.00

	Each	Per 10	Per 100
*CAMPANULA carpatica. Carpathian Bell- flower. 6" Light blue, July-Aug	.25	2.00	18.00
*alba. White Carpathian Bellflower. 6" White, July-Aug	.25	2.00	18.00
glomerata. Danesblood. 18" Dark blue, June-July	.35	3.00	
medium. Canterbury Bells. 2' Blue, Pink, White, June	.25	2.00	18.00
medium calycanthema. Cup and Saucer. 2' Blue, pink, white, June	.25	2.00	18.00
persicifolia Peach-leaved Bellflower. 2' Blue, June–July	.25	2.00	18.00
persicifolia alba. White Peach-leaved Bellflower. 2' White, June-July	.25	2.00	18.00
CENTAUREA montana. Bluet. 2' June-Sept.	.25	2.00	18.00
*CERATOSTIGMA plumbaginoides. (Plumbago Larpentae). Blue Leadwort. 8"	0.5	2.22	10.00
Deep blue, AugSept	.25	2.00	18.00
CHELONE glabra. Turtlehead. 2' White, AugSept	.25	2.00	18.00
lyoni. Lyon Turtlehead. 2½ Red, Aug- Sept	.25	2.00	18.00
*CALANDRINIA umbellata. Peruvtan Rock			
Purslane. 6" Purplish crimson,	.25	2.00	10.00
July-Oct			18.00
CHRYSANTHEMUM	.25	2.00	18.00
Maximum Alaska. 2' White, July–Sept.	-Sept.		
Dean Emery. 2½' Large. Yellow, mediu	m. Oct.		
Donkelaria. $2\frac{1}{2}$ Large. Yellow, early O			
Globe D'Or. 18" Button. Yellow, early.			
Harrie. 2' Pompom. Yellow, medium.			
La Garrone. 2' Large. Rose and buff, ea	rly.		
L'Argentuillais. 2' Large. Bronzy red, me	edium.		
Lillian Doty. 3' Pompom. Flesh pink, me	edium.		
Marie Dupont. 3' Large. White, early.			
Mrs. H. Harrison. 3' Pompom. Blush, ea	_		
Pink Doty. 3' Pompom. Clear pink, med			
Queen of Whites. 3' Large. Creamy whi Red Doty. 3' Pompom. Wine red, mediu			
St. Illoria. 2½' Large. Pink, medium.	.111•		
Soeur Melanie. 2½' Large. White, mediu	ım.		
Tennyson. 2' Pompom. Red, late.			
Uvalda. 2½' Pompom. White.			
Yellow Dot. Pompom. Yellow, medium.			
White Doty. 3' Pompom. White, medium	n.		
Zenobia. 18" Button. Yellow, early.			
CONVALLARIA majalis. Lily-of-the-Valley. 8" White, May-June	.35	3.00	
COREOPSIS floribunda. Coreopsis. 2' Yellow, June-Sept	.25	2.00	18.00
lanceolata. Lance Coreopsis. 2' Yellow, June-Oct	.25	2.00	18.00

DELPHINIUM belladonna. Larkspur. 2½'	Each	Per 10	Per 100
Light blue, June-Oct	\$.25	\$2.00	\$18.00
chinensis. Slender Larkspur. 2' Deep blue, June Oct	.25	2.00	18.00
chinensis alba. White Slender Larkspur. 2' White, June-Oct	.25	2.00	18.00
elatum. Bee Larkspur. 2' Blue, June– Oct	.25	2.00	18.00
formosum. Hardy Larkspur. 2½' Dark blue, June-Oct	.25	2.00	18.00
hybrids. Larkspur. 2' to 4' Blue, June- Oct	.25	2.00	18.00
DIANTHUS barbatus. Sweet William. 1½' Red. white, pink, May-June	.25	2.00	18.00
Newport pink. Sweet William. 18" Pink, May-June	.25	2.00	18.00
latifolius atrococcineus. Hybrid Sweet William. 1' Crimson, May-June	.25	2.00	18.00
Miss America. 18" Double Scarlet, May-	25	2.00	18.00
Sept** *plumaris. 1' White, May-June	.25 .25	2.00	18.00 18.00
Gertrude. 10" Double red, May-June	.25	2.00	18.00
*Her Majesty. 10" Double White,			
May-June Jean. 18" Double white, red center,	.25	2.00	18.00
May Sept	.25	2.00	18.00
*DICENTRA spectabilis. Bleeding Heart. 18" Pot grown. Deep rose, April, May	.50	4.50	
DICTAMNUS alba (fraxinella). Gas Plant. 3' White, June-July	.35	3.00	
DIGITALIS purpurea. Foxglove. 2½' Rosy purple, June–July	.25	2.00	18.00
alba. White Foxglore. 2' White, June-July	.25	2.00	18.00
ECHINACEA purpurea. Purple Coneflower. 3½' Purple, July-Aug	.25	2.00	18.00
ECHINOPS humilis. Globe Thistle. 2'			
Steel blue, July-Aug	.25	2.CO	18.00
ritro. 3' Steel blue. July-Aug	.25	2.00	18.00
*DRABA rupestris. Whitlow Grass. 4" White, April-May	.25	2.00	18.00
EUPATORIUM coelestinum. Blue Mist-	.23	2.00	10.00
flower. 2' Blue, AugOct	.25	2.00	18.00
18" White, July-Aug	.50	4.50	
coerulea. 18" Purplish blue, July-Aug.	.25	2.00	18.00
undulata variegata. Variegated Leaf Funkia. 18" Blue, July-Aug	.25	2.00	18.00
GAILLARDIA grandiflora. Blanket Flower. 18" Yellow and Red, May-Nov	.25	2.00	18.00
GEUM Mrs. Bradshaw. Avens. 18" Double Red, June-July	.25	2.00	18.00
montanum heldriechi. Orange Avens. 18" Orange, May-July	.25	2.00	18.00
*GLOBULARIA trichosantha. Globe Daisy. 6" Blue, May–June	.25	2.00	18.00
- ,			

		Each	Per 10	Per 100
GYPSOPHYLLA paniculata. Baby's I 2' White, June-July		\$.25	\$2.00	\$18.00
*repens. Creeping Gypsophylla. White, June–July	4''	.35	3.00	
HELIANTHEMUM. 18" Fickle St Pink, May-Sept	ınrose.	.35	3.00	1
HELENIUM autumnale superba. Snees	eweed.	.25	2.00	18.00
Riverton Gem. Bronze Sneezewee Bronze, Aug.—Sept		.25	2.00	18.00
HELIANTHUS fl. pl. 4'-5' Yellow Sept		.25	2.00	18.00
HELIOPSIS helianthoides pitcheriana. Heliopsis. 3' Yellow, July-S	ept	.25	2.00	18.00
HEUCHERA sanguinea. Alum Root Pot grown. Crimson, May-S	ept	.25	2.00	18.00
sanguinea alba. White Arrowrood White, May-Sept		.25	2.00	18.00
HIBISCUS crimson eye. 4' Crimson. Sept		.25	2.00	18.00
Moscheutos. Mallow Marvels. 4 AugSept		.25	2.00	18.00
*IBERIS gibraltarica. Gibraltar Can	dytuft.	25	2.00	20.00
1 Lilac. May-June* *sempervirens. Evergreen Candytu	ft. 10"	.25	2.00	28.00
White. April-May sempervirens. Little Gem. 6"	Ever-	.25	2.00	18.00
green leaves. White, April *IRIS pumila cyanea. Dwarf Iris. 8		.25	2.00	18.00
ple, May		.25	2.00	18.00
Dwarf Yellow		.25	2.00	18.00
germanica. Fleur-de-lis. (Germa 1½'-2½'		.25	2.00	18.00
Aurea—yellow.			ender blu	2.
Dr. Bernice—bronze.		dark purj	ole.	
Florentinawhite. General.	Landse			
Granite Blue—light blue.	Loreli-	-	bita nam	ciled blue
Gracchus—pale yellow, suf-			rosy c	
fused red.		-	-	iolet base.
Her Majesty—pink.				lavender.
kaempferi. Japanese Iris. 2'-2½	ś′	.25	2.00	18.00
Blue Jay—pale blue.		aughan-	-white.	
Blue, Yellow Centre.	Light B	_		
Dark Maroon.	Oyodo-	–dark pı	ırple.	
Eclipse—double purple.	Purple,	Yellow	Centre.	
Frate—dbl. white, lilac centre.	Red, W	hite Ce	ntre.	
sibirica. Siberian Iris. 2' Purple		.25	2.00	18.00
sibirica alba. White Siberian In White, May-June	ris. 2'	.25	2.00	18.00
LATHYRUS latifolius. Perennial Peren	ea. 3'	.25	2.00	18.00

54 PRINCETON NURSERIES	PRICE LIS	1	
*LINUM perenne. Blue Perennial Flax. 1 June-July		Per 10 \$2.00	Per 100 \$18.00
LOBELIA cardinalis. Cardinal Flower. 2½ Scarlet, July Aug	,	2.00	18.00
syphilitica. Large Blue Lobelia. 2' Blue, AugSept		2.00	18.00
syphilitica alba. White, AugSept	.25	2.00	18.00
LUPINUS arborea. Yellow Lupine. 3' Yellow, June-July	.35	3.00	
polyphyllus. Washington Lupine. 3' Blue, June-July		3.00	
polyphyllus albus. 3' White, June–July. polyphillus moerheimi. Rose Lupine.		3.00	
Pink, june–July LYCHNIS chalcedonica. Maltese Cross. 2	,	3.00	
Scarlet, June-July haageana. Haage Campion. 1' Scar-		2.00	18.00
let, May Juneviscaria splendens. Rosepink Campion.	25	2.00	18.00
1' Crimson, May–June	25	2.00	18.00
strife. 2½' Pink, July-Aug	25	2.00	18.00
MATRICARIA inedora. Scentless False Chamomile. 18" White, June-Sept		2.00	18.00
MISCANTHUS sinensis gracillimus. Maiden Grass (Eulalia). 2½'	25	2.00	18.00
sinensis. Variegated Striped Eulalia. 2½ MONARDIA media. Oswego Bee Balm. 2½		2.00	18.00
*MYOSOTIS scorpioides (palustris). Forget		2.00	18.00
me-not. 10" Blue, May-Sept	25	2.00	18.00
*nixenauge. 8" Pale blue. May-June *NIEREMBERGIA rivularis. Whitecup. 4"	,	2.00	18.00
White, June-Aug OENOTHERA youngi. Evening Primrose. 2	,	2.00	18.00
Yellow, June-Augspeciosa. White Sundrops. 18" White	,	2.00	18.00
Aug.–SeptPACHYSANDRA terminalis. Japanese Spurg	25	2.00	18.00
8" Greenish white, May		2.00	18.00
	estiva Ma	xima—w	hite.
Albatree—white.	Lady Dartn	outh-v	vhite.
A11 1 C	La Tulipe—		
August d'Hour desteur	-		,
Canari vollov	Louise Van		•
Corrome d'Or—white.	Mad. L. Ca	llot—pinl	ζ.
	Mad. Mout	ot—pink.	
Delacin—red.	Magnifica-		
Duc de Wennigton—wnite.	_		white
Duchesse de Nemours—white	Marie Des Holmes—white.		
Zaouta IIIIai e Garinine.	Marie Lem		nite.
Edulis Superba—pink.	McMahon-	-red.	
Eugene Verdier—pink.	Meissonier-	purple :	red.
Faust—pink.	Mme. de V	erneville	— white
	Modest Gu	erin—red	
	Rose d'Am		

*PAPAVER nudicaule. Iceland Poppy. 10"	Each	Per 10	Per 100
White yellow, May-Aug	\$.25	\$2.00	\$18.00
papaver orientale. Oriental Poppy. 2½' Scarlet, July -Aug	.25	2.00	18.00
PENTSTEMON torreyi. Torrey Pentstemon. 3' Scarlet, June-Aug	.25	2.00	18.00
PHALARIS arundinacea. Reed Canary Grass.	.25	2.00	18.00
PHLOX arendsi. Louise. 1' Lilac, May-July	.35	3.00	10.00
*Divaricata. Blue. 1' Lavender blue, May	.35	3.00	
Decusatta. Garden Phlox. 1½'-2' July-Sept.	*55	3.00	
Baron Von Heeckeren. Salmon-pink	.35	3.00	
Coquelicot. Brilliant Scarlet	.35	3.00	
Deutschland. Bright orange-red	.25	2.00	18.00
Eclaireur. Violet-red, pink eye	.25	2.00	18.00
Elizabeth Campbell. Delicate Salmon-	.23	2.00	10.00
pink Dencate Sannon	.35	3.00	
Fraulein Von Krupp. White dwarf	.25	2.00	18.00
G. A. Strohlein. Orange-scarlet, darker			
eye	.35	3.00	
General Von Heutz. Salmon-red,			
white centre	.25	2.00	18.00
Gruppenkonigin. Pale rose, darker cen.	.25	2.00	18.00
Hindenberg. Intense Crimson	.35	3.00	
Jules Sandeau. Pure pink, dwarf	.25	2.00	18.00
La Vague. Mauve pink, red eye	.25	2.00	18.00
Mrs. Jenkins. (Independence), white.	.25	2.00	18.00
Queen. White, early	.25	2.00	18.00
R. P. Struthers. Red, crimson eye	.25	2.00	18.00
Rhynstroom. Deep pink	.25	2.00	18.00
Sunshine. Pink, darker eye	.25	2.00	18.00
Thor. Salmon-pink, crimson eye, large	.25	2.00	18.00
Wanadis. Lilac, purple eye	.35	3.00	1010
Widar. Reddish violet, white centre	.25	2.00	18.0
*ovata (carolina). 12" Rosy red, June–July	.25	2.00	18.00
*subulata. Moss Pink. 4" Pink April–May	.25	2.00	18.00
*subulata alba. White Moss Pink. 4"	.23	2.00	10.00
White, April-May	.25	2.00	18.00
*subulata G. F. Wilson. Lavender Moss Pink. 4" Lavender blue, April–May	.35	3.00	
suffruticosa. Miss Lingard. Tall, vigorous. White, pink eye	.25	2.00	18.00
PHYSOSTEGIA virginica. False Dragon- head. $2\frac{1}{2}$ Light pink, June–July	.25	2.00	18.00
PLATYCODON grandiflorum. 18" Light blue, June-July	.25	2.00	18.00
grandiflorum album. 18" White, June-July	.25	2.00	18.00
Mariesi. Maries Balloon Flower. 12" Blue, June–July	.25	2.00	18.00
PLUMBAGO. (See Ceratostigma.)			
POLEMONIUM coerulea. Greek Valerian. 2' Blue, June-July	.25	2.00	18.00
*Richardsoni. Jacob's Ladder. 12" Sky blue, June-July	.25	2.00	18.00

56 PRINCETON NURSERIES PR	RICE LIS	51	
	Each	Per 10	Per 100
*PRIMULA acaulis (vulgaris). English Primrose. 8" Lemon yellow, April-May	\$.25	\$2.00	\$18.00
*elatior. Oxlip Primrose. 8" Various, April–May	.25	2.00	18.00
*veris. Cowslip Primrose. 6" Yellow, April-May	.25	2.00	18.00
PYRETHRUM hybridum. Painted Lady. 2' Double mixed. July-Aug	.25	2.00	18.00
RUDBECKIA laciniata. Golden Glow. 6' Yellow, AugSept	.25	2.00	18.00
speciosa (newmanni). Showy Cone-flower. 2' Pot grown. Yellow, July-Oct	.25	2.00	18.00
SALVIA azuria. Azure Salvia. 3' Sky blue, AugSept	.25	2.00	18.00
pratensis. Meadow Sage. 2' Deep blue,	.25	2.00	18.00
*SEDUM acre. Gold Moss. 3" Yellow, May-June	.25	2.00	18.00
*album. White Stonecrop. 3" White, May-June	.25	2.00	18.00
divergens. 6"	.25	2.00	18.00
*kamschaticum. Orange Stonecrop. 8" Yellow, July-Aug	.25	2.00	18.00
*sarmentosum. Stringy Stonecrop. 2" Yellow, June–July	.25	2.00	18.00
spectabile. Showy Stonecrop. 18" Pink, AugSept.	.25	2.00	18.00
*stoloniferum. Running Stonecrop. 6" Pink, July-Aug	.25	2.00	18.00
*hispanicum. Spanish Stonecrop. 4" Pale pink, July	.25	2.00	18.00
monregalense (cruciatum). Monreale Stonecrop	.25	2.00	18.00
STACHYS lanata. Wooly Betony. 18" Purple, June-July	.25	2.00	18.00
STOKESIA laevis. Blue Stokes Aster. 18" Blue, July-Oct	.25	2.00	18.00
laevis alba. White Stokes Aster. 18" White, July-Oct	.25	2.00	18.00
*THYMUS serphyllum splendens. Firefly Thyme. 2" Red, June-July	.25	2.00	18.00
TRITOMA pfitzeriana. Bonfire Torch-Lily. 2½' Red and orange, AugSept	.25	2.00	18.00
*TUNICA saxifraga. Tunic Flower. 6" White, July-Aug	.25	2.00	18.00
VERONICA longifolia subsessilis. Clump Speedwell. 2' Violet-blue. AugSept.	.25	2.00	18.00
*repens. Creeping Speedwell. 2" Blue,	.25	2.00	18.00
*rupestris. Pink. 4" Pink, May-June	.25	2.00	
spicata. Spike Speedwell. 18" Blue, June–July	.25	2.00	18.00
•			

WINCA to a Desirable 4// I had been	Each	Per 10	Per 100
*VINCA minor. Periwinkle. 4" Lilac blue, April-May	\$.25	\$2.00	\$18.00
*VIOLA cornuta. Tufted Pansy. 8" Blue- violet, June-Aug)		
*Admiration. 9" Purple, May-Aug		2.00	18.00
*Blue perfection. 9" Blue, May-Aug	١		
*White perfection. 9"White, May-Aug	/		

Fruit Department

		1		
APPLES AND	CRAB APPLES		Each	Per 10
1 in	and up	XX	\$2.00	
	n. to 1 in 16th to ½ in		1.50 1.00	
	d. grade, $\frac{5}{8}$ in. to 1		.75	
SUMMER	AUTUMN		WINTE	R
Early Harvest	Duchess	Baldwin		rthern Spy
Early Strawberry	Fall Pippin Grimes Golden	Ben Davis Delicious		me Beauty xbury Russet
Gravenstein	King	Fameuse (S Golden Russ	, .	itzenburg ayman's Winesap
Red Astrachan	Sweet Bough	Jonathan	Sta	
Williams E. Red	Talman Sweet Wealthy	McIntosh N. W. Green		rk Imperial
Yel. Transparent	-	R. I. Greeni	_	inter Banana
CRAB APPLES	—Hyslop, Red Sil	berian, Transc	cendent.	
APPLES-Dwarf	f			
5/8 i	in. to $\frac{3}{4}$ inin. to $\frac{5}{8}$ in	A	1.50	
	in, to $rac{9}{8}$ in us, Fall Pippin, R			rn Spy. Wealthy.
PEARS—Standa		3.	,	
	. and up	XX	2.00	
7/8	in. to 1 in	X	1.50	
11-	16th in to $\frac{7}{8}$ in	1A	1.00	
Bartlett	l. grade, $\frac{5}{8}$ in. to 11 Duche		.75 Sec	leat
Beurre Bosc		sh Beauty		eldon
Beurre d'An		-		mont Beauty
Clapp's Fav			VEI	mont beauty
PEARS—Dwarf	orite Lawre	iicc		
Firs	t grade, 5% in. and	up A	1.00	
Med	l. grade, $\frac{1}{2}$ in. to $\frac{1}{2}$	⅓ inB	.75	
Bartlett, Cla Beauty.	pp's Favorite, Du	chess, Louise	Bonne,	Seckel, Vermont
CHERRIES—So	ur			
1 in	and up	XX	2.00	
7/8	in, to 1 in	X	1.50	
11-	l6th in to 1/8 in in to 11-16th in	1A 1M	1.00 .75	

Early Richmond, Montmorency, English Morello.

1 in. to $\frac{7}{8}$ in. to $11-16$ th if $\frac{5}{8}$ in. to Black Tartarian,	nd up	\$2.50 2.00 1.50 1.25 1.00	Per 10
7⁄ ₈ in. to 11-16th i	up	2.00 1.50 1.00	
Yellow Egg, Germa	shaw, Burbank, Imper an Prune.	iai, Snrc	psnire Damson,
9-16th in. 7-16th in.	up, 5 to 7 ft	1.00 .75 .50 .40	\$9.00 6.50 4.50 3.50 2.50
F. indicates Freestor	ne.		
EARLY Carman F., White	MID-SEASON Belle of Georgia F., W	h. Krui	LATE mmel October
Champion F., White	Late Crawford F., Yel		F., Yellow
Early Crawford F., Yel.		Fox	Seedling
Fitzgerald F., Yellow	Hale F., Yellow		F., White
Hiley F., White Mountain Rose F., Wh.		to	
Ray F., White	Miss Lolo F., White	ic	
QUINCES—¾ in., 4 to		1.50	
	to 4 ftA	1.25	
$\frac{1}{2}$ in., $2\frac{1}{2}$	to 3 ftM	1.00	
Champion, Orange			
NUTS—	7 C.	1.00	
3 to	3 ft	1.00 1.25 1.50	
Hickory-Shellbarl			
	ft	2.00	
	ft	2.50	
Walnut—Black 2 to 3	ft	1.50	
	ft	2.00	
4 to 5	ft	2.50	
Japan3 to 4 to 5	4 ft	1.50 2.00	
5 to 6	ft	2.50	
GRAPES—			
Agawam, red	\		
Brighton, black			
Campbell's Early,	black		
Catawba, red	1		
Champion, black			
Clinton, black	2 yr.	.35	3.00
Concord, black			
Delaware, red Moore's Early, blad	als \		
Moore's Diamond,	1		
Niagara, white	***************************************		
Worden, black			
,	1		

CURRANTS—	Each	Per 10	
Cherry	24011		
Fay's Prolific Lee's Black Perfection White Grape	r. \$.35	\$3.00	
GOOSEBERRIES— Downing Houghton Joselyn Red Jacket	r50		
RASPBERRY—Cuthbert, Kansas, Columbian, St. Regis (everbearing)		Per 10 \$1.00	
BLACKBERRIES-Blower's, Erie, Rathbu	n	1.00	8.00
STRAWBERRIES		1.00	6.00
ASPARAGUS—2 yr		.50	3.00
RHUBARB	25	2.00	15.00

TABLE OF CONTENTS

Conditions of Sale	nside	froi	nt co	ve
Deciduous Shade Trees	Page	s l	to	11
Flowering Shrubs	- **	12	to	31
Roses	44	32	and	33
Vines and Climbers	**	33	and	34
Evergreens and Conifers	. "	35	to	49
Herbaceous Perennials	- 44	50	to	57
Fruit Trees and Bushes	44	57	to	50



